
Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.09.2022

Version 3 (replaces version 2)

Revision: 13.09.2022



GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022

Version 3 (replaces version 2)

Revision: 13.09.2022

Trade name: OTTO Cleaner C

	(Contd. of page 1)	
 Hazard statement 	ts	
H225 Highly flamr	nable liquid and vapour.	
H315 Causes skir	n irritation.	
H336 May cause	drowsiness or dizziness.	
H304 May be fata	l if swallowed and enters airways.	
H411 Toxic to aqu	atic life with long lasting effects.	
Precautionary st	atements	
P102	Keep out of reach of children.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition	
	sources. No smoking.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves / eye protection / face protection.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P301+P330+P331	I IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P304+P312	IF INHALED: Call a POISON CENTER/doctor if you feel unwell.	
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.	
· 2.3 Other hazard	S	
Results of PBT a	nd vPvB assessment	
· PBT: Not applicat	ble.	
• vPvB: Not applica	able.	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Solvent mixture with additives.

· Dangerous components: EC number: 921-024-6 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, 50-100% Reg.nr.: 01-2119475514-35-xxxx <5% n-hexane 🚸 Flam. Liq. 2, H225; 🚸 Asp. Tox. 1, H304; 🕁 Aquatic Chronic 2, H411; 🚯 Skin Irrit. 2, H315; STOT SE 3, H336 CAS: 110-82-7 cyclohexane <10% Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Aquatic Chronic 1, H410; Acute 1, H400; A EINECS: 203-806-2 H315; STOT SE 3, H336 CAS: 110-54-3 <2.5% n-hexane EINECS: 203-777-6 🚸 Flam. Liq. 2, H225; 🚸 Repr. 2, H361f; STOT RE 2, H373; Asp. Tox. 1, H304; 🚯 Aquatic Chronic 2, H411; \bigcirc Skin Irrit. 2, H315; STOT SE 3, H336 Specific concentration limit: STOT RE 2; H373: C ≥ 5 %

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

General information
 Immediately remove any clothing soiled by the product.
 Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

 After inhalation
 Supply fresh air. If required, provide artificial respiration, Keep patient warm, Consult doctor if

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.09.2022

Version 3 (replaces version 2)

Revision: 13.09.2022

(Contd. of page 2)

Trade name: OTTO Cleaner C

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing

A person vomiting while laying on their back should be turned onto their side. Do not induce vomiting; call for medical help immediately. Show container or label.

- 4.2 Most important symptoms and effects, both acute and delayed Headache
- Dizziness Dizziness

Nausea

• **4.3 Indication of any immediate medical attention and special treatment needed** If swallowed or in case of vomiting, danger of entering the lungs

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.
- Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

. 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment

 Information about fire - and explosion protection: Protect against electrostatic charges. Traces of flammable substances may collect in the steam chamber of enclosed systems. Keep clear ofignition sources. Highly volatile, flammable constituents are released during processing. Flammable gas-air mixtures may form in empty receptacles.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- **Requirements to be met by storerooms and receptacles:** Provide solvent resistant, sealed floor. Prevent any seepage into the ground.

· Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 4)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022

Version 3 (replaces version 2)

Revision: 13.09.2022

Trade name: OTTO Cleaner C

	(Contd. of page
Further information about storage c	
Store in cool, dry conditions in well sea	aled receptacles.
Protect from heat and direct sunlight.	
Store receptacle in a well ventilated are	
7.3 Specific end use(s) No further rel	evant information available.
SECTION 8: Exposure control	ls/personal protection
8.1 Control parameters	avira manifaring of the worksloop
Ingredients with limit values that red	quire monitoring at the workplace:
110-82-7 cyclohexane	
WEL Short-term value: 1050 mg/m ³ , 3	
Long-term value: 350 mg/m³, 100	0 ppm
110-54-3 n-hexane	
WEL Long-term value: 72 mg/m ³ , 20 p	pm
DNELs	•
Hydrocarbons, C6-C7, n-alkanes, is	oalkanes, cyclics, <5% n-hexane
Dermal Worker, systemic (long term	n) 733 mg/kg/Tag (rat)
Consumer, systemic (long te	erm) 699 mg/kg/Tag (rat)
Inhalative Worker, systemic (long term	, ,
Consumer, systemic (long te	· - · · ·
	d during the making were used as basis.
8.2 Exposure controls	
Appropriate engineering controls N	
	ch as personal protective equipment
General protective and hygienic me	
	e to be adhered to when handling chemicals.
Wash hands before breaks and at the	end of work.
Avoid contact with the eyes and skin.	introduction on othic construct
Pregnant women should strictly avoid	Innaiation or skin contact.
Respiratory protection:	vice when high concentrations are present
	vice when high concentrations are present.
Hand protection Protective gloves.	
Recommended glove types: nitrile rubl	ber
	ber hes not only depend on the material, but also on further marl
of quality and varies from manufacture	
Recommended thickness of the materi	
Penetration time of glove material B	
Eye/face protection Tightly sealed go	
Body protection: Protective work clot	
	·······J·
SECTION 0: Physical and abo	mical proportion
SECTION 9: Physical and che	
9.1 Information on basic physical ar	nd chemical properties
General Information	Fluid
Physical state Colour:	Fluid Colourless
Odour:	Petrol-like
NAME .	
Melting point/freezing point:	<-20 °C

- Melting point/freezing point:
 Boiling point or initial boiling point and boiling range
 Flammability

60-120 °C Highly flammable.

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022

Version 3 (replaces version 2)

Revision: 13.09.2022

Trade name: OTTO Cleaner C

	(Contd. of page 4)
· Lower and upper explosion limit	(Conta. of page +)
· Lower:	0.6 Vol %
· Upper:	8 Vol %
· Flash point:	<0 °C
Ignition temperature:	≥200 °C
Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity at 40 °C:	0.49 mm2/s
· Solubility	
· Water:	Insoluble
 Partition coefficient n-octanol/water (log 	g
value)	Not determined.
· Vapour pressure at 20 °C:	61 hPa
Density and/or relative density	
· Density at 20 °C:	0.7 g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Relative gas density	undetermined
[.] 9.2 Other information	No further relevant information available.
· Form:	Fluid
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
· Information with regard to physical haz	ard
classes	
· Aerosols	Void
· Flammable liquids	Highly flammable liquid and vapour.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.
- **10.3 Possibility of hazardous reactions** Danger of receptacles bursting because of high vapour pressure when heated Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised • **10.5 Incompatible materials:** Strong oxidizing agents, alkalis, amines, strong acides
- **10.5 Incompatible materials:** Strong oxidizing agents, arkans, animes, stron • **10.6 Hazardous decomposition products:** see item 5.2
- · · ·

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity
- · <u>LD/LC50 values relevant for classification:</u>

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane</th>OralLD50>5,000 mg/kg (rat) (OECD-Prüfrichtlinie 401)DermalLD50>2,000 mg/kg (rat) (OECD-Rpüfrichtlinie 402)InhalativeLC50/4 h >20 mg/l (rat) (OECD-Prüfrichtlinie 403)110-82-7 cyclohexaneOralLD50OralLD5012,705 mg/kg (rat)• Skin corrosion/irritationCauses skin irritation.

• **STOT-single exposure** May cause drowsiness or dizziness.

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.09.2022

Version 3 (replaces version 2)

Revision: 13.09.2022

(Contd. of page 5)

Trade name: OTTO Cleaner C

- · Aspiration hazard May be fatal if swallowed and enters airways.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Also poisonous for fish and plankton in water bodies. The material is harmful to the environment.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Liquid residues must be specially treated adhering to official regulations.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN1993 · 14.2 UN proper shipping name · ADR 1993 FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% nhexane, CYCLOHEXANE), ENVIRONMENTALLY HAZARDOUS ·IMDG FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C6-C7, *n*-alkanes, isoalkanes, cyclics, <5% *n*-hexane, CYCLOHEXANE), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C6-·IATA C7, *n*-alkanes, isoalkanes, cyclics, <5% *n*-hexane, CYCLOHEXANE) · 14.3 Transport hazard class(es) · ADR · Class 3 (F1) Flammable liquids. (Contd. on page 7) GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022

Version 3 (replaces version 2)

Revision: 13.09.2022

de name: OTTO Cleaner C	
Label	(Contd. of page
IMDG	
Class Label	3 Flammable liquids. 3
IATA	
Class	3 Flammable liquids.
Label	3
<i>14.4 Packing group ADR, IMDG, IATA</i>	11
14.5 Environmental hazards:	Product contains environmentally hazardous substances: cyclohexane, Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane
Marine pollutant:	Yes
Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 14.7 Maritime transport in bulk according to IMO instruments	Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids. 33 F-E, <u>S-D</u> B Not applicable.
Transport/Additional information:	
ADR	
<i>Limited quantities (LQ) Excepted quantities (EQ)</i>	1L Code: E2 Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 500 r
Transport category Tunnel restriction code	2 D/E
<i>IMDG Limited quantities (LQ) Excepted quantities (EQ)</i>	1L Code: E2 Maximum net quantity per inner packaging: 30 m
UN "Model Regulation":	Maximum net quantity per outer packaging: 500 r UN 1993 FLAMMABLE LIQUID, N.O.S. (HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE, CYCLOHEXANE), 3, II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

(Contd. on page 8)

⁻ GB -

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.09.2022

Version 3 (replaces version 2)

Revision: 13.09.2022

Trade name: OTTO Cleaner C

	fying quantity (tonnes) for the application of upper-tier requirements 500 t
Natio	nal regulations
	nation about limitation of use:
	hyment restrictions concerning juveniles must be observed.
-	yment restrictions concerning pregnant and lactating women must be observed.
	hazard class: Water hazard class 2 (Self-assessment): hazardous for water. s of international registration status:
	t on or in accordance with the following inventories:
UK RI	EACH - Europe listed
	- Australia listed
	Canada listed C - China listed
	- Japan listed
NZIOC	C - New Zealand not listed
	S - Philippines listed
	Korea listed - USA listed
	- Taiwan listed
	Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
SEC	TION 16: Other information
	nformation is based on our present knowledge. However, this shall not constitute a guaran y specific product features and shall not establish a legally valid contractual relationship.
	ant phrases
	Highly flammable liquid and vapour. May be fatal if swallowed and enters airways.
	Causes skin irritation.
H336	May cause drowsiness or dizziness.
	Suspected of damaging fertility.
	May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life.
	Very toxic to aquatic life with long lasting effects.
	Toxic to aquatic life with long lasting effects.
Depa	rtment issuing SDS: Tel.: 0049- (0)8684- 908- 2363
	n ct: Tel.: 0049- (0)8684- 908- 2363 (-4300)
Abbre	eviations and acronyms:
	ccord relatif au transport ⁱ nternational des marchandises dangereuses par route (European Agreement Concerr rnational Carriage of Dangerous Goods by Road)
IMDG:	International Maritime Code for Dangerous Goods
	nternational Air Transport Association Nobally Harmonised System of Classification and Labelling of Chemicals
EINEC	S: European Inventory of Existing Commercial Chemical Substances
	S: European List of Notified Chemical Substances hemical Abstracts Service (division of the American Chemical Society)
DNEL:	Derived No-Effect Level (UK REACH)
	ethal concentration, 50 percent ethal dose, 50 percent
PBT: P	ersistent, Bioaccumulative and Toxic
	rery Persistent and very Bioaccumulative ig. 2: Flammable liquids – Category 2
	t. 2: Skin corrosion/irritation – Category 2
	: Reproductive toxicity – Category 2 SE 3: Specific target organ toxicity (single exposure) – Category 3
Repr. 2	RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Repr. 2 STOT S STOT F	
Repr. 2 STOT S STOT I Asp. To	x. 1: Aspiration hazard – Category 1 Acute 1: Hazardous to the aquatic environment - acute aquatic bazard – Category 1
Repr. 2 STOT S STOT F Asp. To Aquatio Aquatio	Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Repr. 2 STOT S STOT F Asp. To Aquatio Aquatio Aquatio	Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1