Revision: 05.05.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version 3 (replaces version 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: OTTOCOLL P 520 SP 6319 Komp. A

· Application of the substance / the mixture Preparation of adhesives

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Hermann Otto GmbH Krankenhausstraße 14 D-83413 Fridolfing Tel.: 0049/(0)8684/908-0

Tel.: 0049/(0)8684/908-0 Fax.: 0049/(0)8684/908-1840

· Further information obtainable from:

Tel.: 0049- (0)8684- 908- 2363 (-4300) E-Mail: alois.parzinger@otto-chemie.de • 1.4 Emergency telephone number:

Tel.: 0049- (0) 89- 192 40 (emergency telephone no.)

+44 1865 407333 (Carechem 24)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Safety data sheet available on request.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

A- component (of polyols, filler materials and additives) from

2- component- polyurethane solution adhesive

Dangerous components:

CAS: 77-99-6 propylidynetrimethanol (contamination)

<1%

EINECS: 201-074-9 & Repr. 2, H361fd

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

(Contd. on page 2)

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. A

(Contd. of page 1)

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Do not induce vomiting; call for medical help immediately. Show container or label.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

 Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

• 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

see item 8: Personal protective equipment

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 3)

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. A

(Contd. of page 2)

· Respiratory protection:

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type A1 according to standard EN 14387) is used.

· Hand protection Protective gloves.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Recommended glove types: nitrile rubber

Recommended thickness of the material: >0,4 mm

- · Penetration time of glove material Breakthrough time: 10 30 min
- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid.

· Colour: According to product specification

· Odour: Characteristic undetermined • Melting point/freezing point:

Boiling point or initial boiling point and

boiling range Not applicable.

· Lower and upper explosion limit

· Lower: not applicable · Upper: not applicable Not applicable · Flash point:

· Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined. · pH Not applicable. Viscosity: Not determined.

· Solubility

· Water: Hydrolized

· Partition coefficient n-octanol/water (log

Not determined. value) · Vapour pressure: Not applicable.

· Density and/or relative density

see technical datasheet · Density:

Not determined. · Relative density · Vapour density Not determined. Not applicable.

undetermined · Relative gas density · Particle characteristics undetermined

9.2 Other information

· Form:

· Explosive properties: Product does not present an explosion hazard.

· Information with regard to physical hazard

classes

Void · Aerosols · Flammable liquids Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 4)

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. A

(Contd. of page 3)

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Avoid strong heating.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.6 Hazardous decomposition products: see item 5.2

SECTION 11: Toxicological information

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.2 Persistence and degradability
- · Other information: Product is not biodegradable.
- · 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

- · Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

(Contd. on page 5)

(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. A

• **14.6 Special precautions for user** Not applicable.

14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

• Transport/Additional information: Not dangerous according to the above

specifications.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Details of international registration status:

Listed on or in accordance with the following inventories:

REACH - Europe listed AICS - Australia listed

DSL- Canada listed

IECSC - China listed
ENCS - Japan listed
NZIOC - New Zealand listed
PICCS - Philippines listed
ECL - Korea listed
TSCA - USA listed
TCSI - Taiwan listed

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363

· Contact: Tel.: 0049- (0)8684- 908- 2363 (-4300)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Repr. 2: Reproductive toxicity – Category 2

* Data compared to the previous version altered.

Revision: 05.05.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version 3 (replaces version 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: OTTOCOLL P 520 SP 6319 Komp. B
- · **UFI**: 2FN0-N01J-200W-8AXV
- · Product category PC1 Adhesives, sealants
- · Application of the substance / the mixture Preparation of adhesives
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Hermann Otto GmbH Krankenhausstraße 14 D-83413 Fridolfing Tel.: 0049/(0)8684/908-0

Tel.: 0049/(0)8684/908-0 Fax.: 0049/(0)8684/908-1840

· Further information obtainable from:

Tel.: 0049- (0)8684- 908- 2363 (-4300) E-Mail: alois.parzinger@otto-chemie.de • 1.4 Emergency telephone number:

Tel.: 0049- (0) 89- 192 40 (emergency telephone no.)

+44 1865 407333 (Carechem 24)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms GHS07, GHS08
- Signal word Danger

· Hazard-determining components of labelling:

diphenylmethanediisocyanate,isomeres and homologues

· Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

(Contd. on page 2)

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. B

(Contd. of page 1)

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

· Additional information:

Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

· 2.3 Other hazards

Information according to REACH- Annex XVII.56

- Persons already sensitised to diisocyanates may develop allergic reactions when using this product.
- Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type A1 according to standard EN 14387) is used.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Prepolymer, based on diphenylmethandiisocyanat with monomeric and polymeric contents

Dangerous components:

CAS: 72088-97-2 Isocyanate- Prepolymer MDI based <25%

Reg.nr.: EG: Polymer

Resp. Sens. 1, H334; STOT RE 2, H373; (1) Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1,

H317; STOT SE 3, H335, EUH204

CAS: 9016-87-9 diphenylmethanediisocyanate,isomeres and homologues <25%

Reg.nr.: EG: Polymer 🚸 Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;

🔥 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204

Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 %

Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1

STOT SE 3; H335: C ≥ 5 %

CAS: 26447-40-5 <25% Methylenediphenyl diisocyanate, mixed isomers

EINECS: 247-714-0 Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Reg.nr.: 01-2119457015-45-xxxx Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,

H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204

Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 %

Resp. Sens. 1; H334: C ≥ 0.1

STOT SE 3; H335: C ≥ 5 %

(Contd. on page 3)

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. B

(Contd. of page 2)

<2.5%

<2.5%

EC number: 926-141-6 Isoparaffins

Reg.nr.: 01-2119456620-43 & Asp. Tox. 1, H304, EUH066 CAS: 5873-54-1 diphenylmethane-2.4'-diisocyanate

🚸 Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;

EINECS: 227-534-9 Reg.nr.: 01-2119480143-45-xxxx Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204

Specific concentration limits: Skin Irrit. 2: H315: C ≥ 5 % Eve Irrit. 2: H319: C ≥ 5 %

Resp. Sens. 1: H334: C ≥ 0.1

STOT SE 3; H335: C ≥ 5 %

CAS: 101-68-8 diphenylmethane-4,4'-di-isocyanante <2.5%

EINECS: 202-966-0 Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Reg.nr.: 01-2119457014-47-xxxx Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,

H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1

STOT SE 3; H335: C ≥ 5 %

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Do not induce vomiting; call for medical help immediately. Show container or label.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. B

(Contd. of page 3)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

 Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

see item 8: Personal protective equipment

- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen; as -NCO

5873-54-1 diphenylmethane-2,4'-diisocyanate

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen; as -NCO

101-68-8 diphenylmethane-4,4'-di-isocyanante

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen; as -NCO

· Ingredients with biological limit values:

5873-54-1 diphenylmethane-2,4'-diisocyanate

BMGV 1 µmol creatinine/mol

Medium: urine

Sampling time: At the end of the period od exposure

Parameter: isocyanate-derived diamine

101-68-8 diphenylmethane-4,4'-di-isocyanante

BMGV 1 µmol creatinine/mol

Medium: urine

Sampling time: At the end of the period od exposure

Parameter: isocyanate-derived diamine

(Contd. on page 5)

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. B

(Contd. of page 4)

CAS No. Designation of material % Type Value Unit

· Additional Occupational Exposure Limit Values for possible hazards during processing:

101-68-8 diphenylmethane-4,4'-di-isocyanante

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen: as -NCO

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type A1 according to standard EN 14387) is used.

- · Hand protection Protective gloves.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Hydrolized

Not applicable.

Recommended glove types: nitrile rubber

Recommended thickness of the material: >0,4 mm

- · Penetration time of glove material Breakthrough time: 10 30 min
- · Eye/face protection Safety glasses
- Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid.

· Colour: According to product specification

· Odour: Characteristic · Melting point/freezing point: undetermined

Boiling point or initial boiling point and

boiling range Not applicable.

· Lower and upper explosion limit

· Lower: not applicable
· Upper: not applicable
· Flash point: Not applicable

· **Auto-ignition temperature:** Product is not selfigniting.

Decomposition temperature: Not determined.
 pH Not applicable.
 Viscosity: Not determined.
 Solubility

Water:

Partition coefficient n-octanol/water (log value)

Not determined.

Vapour pressure:
Density and/or relative density

Density: see technical datasheet

Relative density
Vapour density
Relative gas density
Particle characteristics
Not determined
undetermined
undetermined

(Contd. on page 6)

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. B

(Contd. of page 5)

· 9.2 Other information

· Form: pasty

• Explosive properties: Product does not present an explosion hazard.

· Information with regard to physical hazard

classes

· Aerosols Void · Flammable liquids Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Avoid strong heating.

10.3 Possibility of hazardous reactions

Reacts with alcohols

Reacts with amines

Exothermic reaction

· 10.5 Incompatible materials:

If isocyanate gets in contact with humidity, carbon dioxide is released. The carbon dioxide causes an overpressure in closed containers.

· 10.6 Hazardous decomposition products: see item 5.2

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.
- · LD/LC50 values relevant for classification:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Oral LD50 >10,000 mg/kg (rat)

Dermal LD50 >9,400 mg/kg (rbt)

Inhalative LC50/4 h 0.49 mg/l (rat)

26447-40-5 Methylenediphenyl diisocyanate, mixed isomers

Oral LD50 >10,000 mg/kg (rat)

Dermal LD50 >9,400 mg/kg (rab)

Inhalative LC50/4 h 0.49 mg/l (rat)

Isoparaffins

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rab)

Inhalative LC50/4 h >5,000 mg/l (rat)

5873-54-1 diphenylmethane-2,4'-diisocyanate

Oral LD50 >2,000 mg/kg (rat)
Dermal LD50 9,400 mg/kg (rbt)
Inhalative LC50/4 h 0.387 mg/l (rat)

101-68-8 diphenylmethane-4,4'-di-isocyanante

Oral LD50 >10,000 mg/kg (rat)
Dermal LD50 >9,400 mg/kg (rbt)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.

(Contd. on page 7)

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. B

(Contd. of page 6)

· Respiratory or skin sensitisation

Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- · Carcinogenicity Suspected of causing cancer.
- · STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.2 Persistence and degradability
- Other information: Product is not biodegradable.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Due to mechanical actions of the product (e.g. agglutinations) damages may occur.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

- Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

(Contd. on page 8)

(Contd. of page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2022 Version 3 (replaces version 2) Revision: 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. B

• 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Transport/Additional information: Not dangerous according to the above

specifications.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Details of international registration status:

Listed on or in accordance with the following inventories:

NZIOC - New Zealand listed TCSI - Taiwan listed REACH - Europe listed AICS - Australia listed DSL- Canada listed

IECSC - China listed
ENCS - Japan listed
PICCS - Philippines not listed

ECL - Korea listed TSCA - USA listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH204 Contains isocyanates. May produce an allergic reaction.

- · Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363
- Contact: Tel.: 0049- (0)8684- 908- 2363 (-4300)
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Version 3 (replaces version 2) Revision: 05.05.2022 Printing date 05.05.2022

Trade name: OTTOCOLL P 520 SP 6319 Komp. B

(Contd. of page 8)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.