
according to 1907/2006/EC, Article 31

Printing date 22.02.2023

Version 4 (replaces version 3)

Revision: 22.02.2023



- 2- component- polyurethane solution adhesive
- · Dangerous components: CAS: 616-47-7

EINECS: 210-484-7

1-methylimidazole 🛞 Acute Tox. 3, H311; 🚸 Repr. 2, H361d; 🚸 Skin Corr. 1B, Reg.nr.: 01-2119974544-23-xxxx H314; 🚯 Acute Tox. 4, H302

<1%

• Additional information For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

(Contd. on page 2)

GB

according to 1907/2006/EC, Article 31

Printing date 22.02.2023

Version 4 (replaces version 3)

Revision: 22.02.2023

(Contd. of page 1)

#### Trade name: OTTOCOLL P 525 Komp. A

· After skin contact

*Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.* 

- · After eye contact
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing

Do not induce vomiting; call for medical help immediately. Show container or label.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- <sup>.</sup> Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

#### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

# SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
   General protective and hygienic measures
   The usual precautionary measures are to be adhered to when handling chemicals.
- Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

(Contd. on page 3)

GB

according to 1907/2006/EC, Article 31

Printing date 22.02.2023

Version 4 (replaces version 3)

Revision: 22.02.2023

(Contd. of page 2)

#### Trade name: OTTOCOLL P 525 Komp. A

· Respiratory protection:

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type A1 according to standard EN 14387) is used.

- · Hand protection Protective gloves.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Recommended glove types: nitrile rubber

Recommended thickness of the material: >0,4 mm

- · Penetration time of glove material Breakthrough time: 10 30 min
- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing.

### **SECTION 9: Physical and chemical properties**

General Information	Salid
Physical state	Solid.
Colour:	According to product specification
Odour:	Characteristic
Melting point/freezing point:	undetermined
Boiling point or initial boiling point	
boiling range	Not applicable.
Lower and upper explosion limit	
Lower:	not applicable
Upper:	not applicable
Flash point:	Not applicable
Decomposition temperature:	Not determined.
рН	Not applicable.
, Viscosity:	Not determined.
Solubility	
Water:	Hydrolized
Partition coefficient n-octanol/wate	•
value)	Not determined.
Vapour pressure:	Not applicable.
Density and/or relative density	Not applicable.
Density:	see technical datasheet
	Not determined.
Relative density	
Vapour density	Not applicable.
Relative gas density	undetermined
9.2 Other information	
Form:	pasty
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazar
Information with regard to physical	l hazard
classes	
Aerosols	Void
Flammable liquids	Void

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.

(Contd. on page 4)

<sup>-</sup> GB

according to 1907/2006/EC, Article 31

Printing date 22.02.2023

Version 4 (replaces version 3)

Revision: 22.02.2023

Trade name: OTTOCOLL P 525 Komp. A

· 10.6 Hazardous decomposition products: see item 5.2

(Contd. of page 3)

# **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

616-47-7 1-methylimidazole

Oral LD50 1,130 mg/kg (rat)

Dermal LD50 400-640 mg/kg (rab)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

- · 12.2 Persistence and degradability
- · Other information: Product is not biodegradable.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

#### · Recommendation

Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

- · Uncleaned packaging:
- Recommendation:

*Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.* 

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 5)

GB

Printing date 22.02.2023

Version 4 (replaces version 3)

Revision: 22.02.2023

#### Trade name: OTTOCOLL P 525 Komp. A

(Contd. of page 4)

SECTION 14: Transport informat	ion
· 14.1 UN number or ID number	
· ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> </ul>	
ADR, ADN, IMDG, IATA	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA	
· Class	Void
<sup>.</sup> 14.4 Packing group	
· ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> </ul>	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordir	-
IMO instruments	Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• Details of international registration status: Listed on or in accordance with the following inventories: UK REACH - Europe listed

AICS - AustralialistedDSL- CanadalistedIECSC - ChinalistedENCS - JapanlistedPICCS - PhilippineslistedECL - KorealistedTSCA - USAlistedTCSI - TaiwanlistedNZIoC - New Zealandnot listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H361d Suspected of damaging the unborn child.
- · Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363

· Contact: Tel.: 0049- (0)8684- 908- 2363 ( -4300 )

(Contd. on page 6)

<sup>-</sup> GB

Printing date 22.02.2023

Version 4 (replaces version 3)

Revision: 22.02.2023

## Trade name: OTTOCOLL P 525 Komp. A


	(Contd. of page 5)
· Abbreviations and acronyms:	
<ul> <li>ADDreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative</li> </ul>	n Agreement Concerning
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Repr. 2: Reproductive toxicity – Category 2	
** Data compared to the previous version altered.	
	GB

according to 1907/2006/EC, Article 31

Printing date 22.02.2023

Version 3 (replaces version 2)

Revision: 22.02.2023



Printing date 22.02.2023

Version 3 (replaces version 2)

Revision: 22.02.2023

## Trade name: OTTOCOLL P 525 Komp. B

	(Contd. of page
	gy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an a	
H351 Suspected of c	
H335 May cause res	
	age to organs through prolonged or repeated exposure.
Precautionary state	
	ep out of reach of children.
	e only outdoors or in a well-ventilated area.
P280 W	ear protective gloves / eye protection.
P301+P310 IF	SWALLOWED: Immediately call a POISON CENTER/ doctor.
	ON SKIN: Wash with plenty of soap and water.
	INHALED: Call a POISON CENTER/doctor if you feel unwell.
	IN EYES: Rinse cautiously with water for several minutes. Remove contact
	nses, if present and easy to do. Continue rinsing. Get medical advice/attention
Additional informati	on: . May produce an allergic reaction.
	23 adequate training is required before industrial or professional use.
2.3 Other hazards	25 adequate training is required before industrial of professional use.
	to UK REACH- Annex XVII.56
	isitised to diisocyanates may develop allergic reactions when using this
product.	is a set to anoty analog may develop anoight reactions when using this
	om asthma, eczema or skin problems should avoid contact, including dermal
contact, with this proc	
	not be used under conditions of poor ventilation unless a protective mask wit
	er (i.e.type A1 according to standard EN 14387) is used.
Results of PBT and	vPvB assessment
	vPvB assessment
<b>Results of PBT and</b> <b>PBT:</b> Not applicable. <b>vPvB:</b> Not applicable	
PBT: Not applicable.	
<b>PBT:</b> Not applicable. <b>vPvB:</b> Not applicable	
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description:	position/information on ingredients
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of	position/information on ingredients
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon	position/information on ingredients n diphenylmethandiisocyanat with monomeric and polymeric contents ents:
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9	nposition/information on ingredients n diphenylmethandiisocyanat with monomeric and polymeric contents ents: diphenylmethanediisocyanate,isomeres and homologues <509
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9	n diphenylmethandiisocyanat with monomeric and polymeric contents ents: diphenylmethanediisocyanate,isomeres and homologues <509 & Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9	n diphenylmethandiisocyanat with monomeric and polymeric contents ents: diphenylmethanediisocyanate,isomeres and homologues <509 & Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description:	n diphenylmethandiisocyanat with monomeric and polymeric contents ents: diphenylmethanediisocyanate,isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9	a diphenylmethandiisocyanat with monomeric and polymeric contents         a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues         <509
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9	a diphenylmethandiisocyanat with monomeric and polymeric contents         a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues       <509
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9	a diphenylmethandiisocyanat with monomeric and polymeric contents         a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues       <509
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9	a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues       <509
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer	a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues         <
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9	a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues       <509
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer	position/information on ingredients         a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues         <509
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer	a diphenylmethandiisocyanat with monomeric and polymeric contents         a diphenylmethanediisocyanate, isomeres and homologues         sents:         diphenylmethanediisocyanate, isomeres and homologues         Sents:         diphenylmethanediisocyanate, isomeres and homologues         Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373;         Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204         Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 %         Eye Irrit. 2; H319: C ≥ 5 %         Resp. Sens. 1; H334; CTOT SE 3; H335; C ≥ 5 %         STOT SE 3; H335; C ≥ 5 %         Aromatisches Polyisocyanat- Prepolymer         Stort SE 3; H335; C ≥ 5 %         Resp. Sens. 1, H334; STOT RE 2, H373;         Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1,
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer	position/information on ingredients         a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues         <50%
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer	a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues         <509
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer CAS: 99784-49-3 CAS: 101-68-8	a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues         Image: Sense in the server is the servere is the server is the server is the server is the se
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer CAS: 99784-49-3 CAS: 101-68-8 EINECS: 202-966-0	a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues         <50%
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer CAS: 99784-49-3 CAS: 101-68-8 EINECS: 202-966-0	a diphenylmethandiisocyanat with monomeric and polymeric contents         ents:         diphenylmethanediisocyanate, isomeres and homologues         <
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer CAS: 99784-49-3 CAS: 101-68-8 EINECS: 202-966-0	aposition/information on ingredientsa diphenylmethandiisocyanat with monomeric and polymeric contentsents:diphenylmethanediisocyanate, isomeres and homologues $< $ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; $()$ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C $\geq$ 5 % Eye Irrit. 2; H319: C $\geq$ 5 % Resp. Sens. 1; H334; C $\geq$ 0.1 $%$ STOT SE 3; H335: C $\geq$ 5 % Aromatisches Polyisocyanat- Prepolymer $< $ Resp. Sens. 1, H334; STOT RE 2, H373; $()$ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 diphenylmethane-4,4'-di-isocyanante $< $ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; $()$ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; $()$ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; $()$ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; $()$ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer CAS: 99784-49-3 CAS: 101-68-8 EINECS: 202-966-0	Aposition/information on ingredientsIn diphenylmethandiisocyanat with monomeric and polymeric contentsents:diphenylmethanediisocyanate, isomeres and homologues $<$ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; () Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334; C ≥ 0.1 % STOT SE 3; H335: C ≥ 5 %Aromatisches Polyisocyanat- Prepolymer $<$ 259 () Resp. Sens. 1, H314; STOT RE 2, H373; () Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 diphenylmethane-4,4'-di-isocyanante $<$ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; () Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315; C ≥ 5 %
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer CAS: 99784-49-3 CAS: 101-68-8 EINECS: 202-966-0	In position/information on ingredientsIn diphenylmethandiisocyanat with monomeric and polymeric contentsents:diphenylmethanediisocyanate, isomeres and homologues $<$ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; $\land$ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204Specific concentration limits: Skin Irrit. 2; H319: C ≥ 5 % $Resp. Sens. 1, H317; STOT SE 3; H335: C ≥ 5 %$ $Resp. Sens. 1, H334; STOT RE 2, H373; \diamondsuit Acute Tox.\land Resp. Sens. 1, H334; STOT RE 2, H373; \diamondsuit Acute Tox.\land H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1,H317; STOT SE 3, H335diphenylmethane-4,4'-di-isocyanante\checkmark Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;Ol4-47-xxxx\land Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204Specific concentration limits: Skin Irrit. 2, H315; C ≥ 5 %\land Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;\land Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,\land H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204\land Specific concentration limits: Skin Irrit. 2; H319: C ≥ 5 %Eye Irrit. 2; H319: C ≥ 5 %$
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer CAS: 99784-49-3 CAS: 101-68-8 EINECS: 202-966-0	Aposition/information on ingredientsIn diphenylmethandiisocyanat with monomeric and polymeric contentsents:diphenylmethanediisocyanate, isomeres and homologues $<$ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; () Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334; C ≥ 0.1 % STOT SE 3; H335: C ≥ 5 %Aromatisches Polyisocyanat- Prepolymer $<$ Resp. Sens. 1, H314; STOT RE 2, H373; () Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 diphenylmethane-4,4'-di-isocyanante $<$ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; () Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315; C ≥ 5 %
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer CAS: 99784-49-3 CAS: 101-68-8 EINECS: 202-966-0	Imposition/information on ingredientsa diphenylmethandiisocyanat with monomeric and polymeric contentsents:diphenylmethanediisocyanate, isomeres and homologues $&$ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; $&$ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 %Eye Irrit. 2; H319: C ≥ 5 %Fesp. Sens. 1, H334; STOT RE 2, H335; C ≥ 5 %STOT SE 3; H335: C ≥ 5 %Aromatisches Polyisocyanat- Prepolymer $&$ Resp. Sens. 1, H334; STOT RE 2, H373; $&$ Acute Tox. $&$ H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1,H317; STOT SE 3, H335diphenylmethane-4,4'-di-isocyanante $&$ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;D14-47-xxxx $&$ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,H319; Skin Sens. 1, H317; STOT SE 3, H335; EUH204Specific concentration limits: Skin Irrit. 2, H315; Eye Irrit. 2,H319; Skin Sens. 1, H317; STOT SE 3, H335; EUH204Specific concentration limits: Skin Irrit. 2, H315; C ≥ 5 %Eye Irrit. 2; H319; C ≥ 5 %Resp. Sens. 1, H317; STOT SE 3, H335; C ≥ 5 %Eye Irrit. 2; H319; C ≥ 5 %Resp. Sens. 1, H317; STOT SE 3, H334; C ≥ 0.1 $%$ Resp. Sens. 1, H317; STOT SE 3, H334; C ≥ 0.1 $%$
PBT: Not applicable. vPvB: Not applicable SECTION 3: Con 3.2 Mixtures Description: Prepolymer, based of Dangerous compon CAS: 9016-87-9 Reg.nr.: EG: Polymer CAS: 99784-49-3 CAS: 101-68-8 EINECS: 202-966-0	In position/information on ingredientsIn diphenylmethandiisocyanat with monomeric and polymeric contentsents:diphenylmethanediisocyanate, isomeres and homologuesImage: Sense of the systemImage: Sense of the sys

Printing date 22.02.2023

Version 3 (replaces version 2)

Revision: 22.02.2023

#### Trade name: OTTOCOLL P 525 Komp. B

(Contd. of	page 2)
CAS: 5873-54-1 diphenylmethane-2,4'-diisocyanate	<5%
EINECS: 227-534-9 & Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;	
Reg.nr.: 01-2119480143-45-xxxx 🔥 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,	
H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
Specific concentration limits: Skin Irrit. 2; H315: C $\geq$ 5 %	
Eye Irrit. 2; H319: C ≥ 5 %	
Resp. Sens. 1; H334: C ≥ 0.1	
%	
STOT SE 3; H335: C ≥ 5 %	
Reg.nr.: EG: Polymer MDI-basiertes Polyisocyanat-Prepolymer	<5%
Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;	
🔥 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2,	
Н319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
Specific concentration limits: Skin Irrit. 2; H315: C $\geq$ 5 %	
Eye Irrit. 2; H319: C ≥ 5 %	
Resp. Sens. 1; H334: C ≥ 0.1	
%	
STOT SE 3; H335: C ≥ 5 %	
EC number: 926-141-6 Isoparaffins	<2.5%
Reg.nr.: 01-2119456620-43 🛛 🚸 Asp. Tox. 1, H304, EUH066	
CAS: 4083-64-1 4-isocyanatosulphonyltoluene	<1%
EINECS: 223-810-8 🚯 Resp. Sens. 1, H334; 🚯 Skin Irrit. 2, H315; Eye Irrit. 2,	
Reg.nr.: 01-2119980050-47 H319; STOT SE 3, H335, EUH014, EUH204	
Specific concentration limits: Skin Irrit. 2; H315: C $\geq$ 5 %	
Eye Irrit. 2; H319: C ≥ 5 %	
STOT SE 3; H335: C ≥ 5 %	
• Additional information For the wording of the listed hazard phrases refer to section 16.	

### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

#### General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact

*Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.* 

- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing
- Do not induce vomiting; call for medical help immediately. Show container or label.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 4)

GB

according to 1907/2006/EC, Article 31

Printing date 22.02.2023

Version 3 (replaces version 2)

Revision: 22.02.2023

#### Trade name: OTTOCOLL P 525 Komp. B

#### 5.3 Advice for firefighters

· Protective equipment:

Mount respiratory protective device. Do not inhale explosion gases or combustion gases.

# SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections See Section 8 for information on personal protection equipment.

# **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

#### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO

#### 101-68-8 diphenylmethane-4,4'-di-isocyanante

WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO

#### 5873-54-1 diphenylmethane-2,4'-diisocyanate

WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO

#### 4083-64-1 4-isocyanatosulphonyltoluene

- WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO
- · Ingredients with biological limit values:

#### 101-68-8 diphenylmethane-4,4'-di-isocyanante

BMGV 1 µmol creatinine/mol Medium: urine Sampling time: At the end of the period od exposure Parameter: isocyanate-derived diamine

(Contd. on page 5)

(Contd. of page 3)

Printing date 22.02.2023

Version 3 (replaces version 2)

Revision: 22.02.2023

## Trade name: OTTOCOLL P 525 Komp. B

	(Contd. of pag
5873-54-1 diphenylmethane-2,4'-diisc	ocyanate
BMGV 1 µmol creatinine/mol	
Medium: urine	
Sampling time: At the end of the	
Parameter: isocyanate-derived o	
Additional information: The lists valid	during the making were used as basis.
8.2 Exposure controls	
Appropriate engineering controls No	
Individual protection measures, such	
General protective and hygienic mea	
	to be adhered to when handling chemicals.
Wash hands before breaks and at the e	end of work.
Avoid contact with the eyes and skin.	
Respiratory protection:	conditions of poor ventilation unless a protective mask wit
an appropriate gas filter (i.e.type A1 acc	
Hand protection Protective gloves.	Solang to danada En 11001/10 0000.
Material of gloves	
	es not only depend on the material, but also on further mai
of quality and varies from manufacturer	
Recommended glove types: nitrile rubble	
Recommended thickness of the materia	
Penetration time of glove material Br	eakthrough time: 10 - 30 min
Eye/face protection Safety glasses	
	ning .
Body protection: Protective work cloth SECTION 9: Physical and cher	nical properties
SECTION 9: Physical and cher 9.1 Information on basic physical and	nical properties
<b>SECTION 9: Physical and cher</b> 9.1 Information on basic physical and General Information	nical properties
SECTION 9: Physical and cher 9.1 Information on basic physical and	nical properties d chemical properties Solid.
<b>SECTION 9: Physical and cher</b> 9.1 Information on basic physical and General Information Physical state	nical properties d chemical properties
SECTION 9: Physical and cher 9.1 Information on basic physical and General Information Physical state Colour: Odour:	nical properties d chemical properties Solid. According to product specification
<b>SECTION 9: Physical and cher</b> 9.1 Information on basic physical and General Information Physical state Colour:	nical properties d chemical properties Solid. According to product specification Characteristic undetermined
SECTION 9: Physical and cher 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range	nical properties d chemical properties Solid. According to product specification Characteristic undetermined
SECTION 9: Physical and chern 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a	nical properties d chemical properties Solid. According to product specification Characteristic undetermined undetermined
SECTION 9: Physical and cher 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower:	nical properties d chemical properties Solid. According to product specification Characteristic undetermined undetermined not applicable
SECTION 9: Physical and cher 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper:	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable
SECTION 9: Physical and cher 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point:	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined
SECTION 9: Physical and cher 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature:	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined Not determined.
SECTION 9: Physical and cher 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined Not determined. Not determined.
SECTION 9: Physical and cher 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity:	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined Not determined.
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility	nical properties d chemical properties Solid. According to product specification Characteristic undetermined undetermined not applicable not applicable undetermined Not determined. Not determined. Not determined. Not determined.
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water:	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined Not determined. Not determined. Not determined. Not determined.
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water: Partition coefficient n-octanol/water	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined Not determined. Not determined. Not determined. Not determined.
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water: Partition coefficient n-octanol/water value)	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable undetermined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water: Partition coefficient n-octanol/water value) Vapour pressure:	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined. Not determined. Not determined. Not determined. Not determined. Not determined.
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water: Partition coefficient n-octanol/water value) Vapour pressure: Density and/or relative density	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable undetermined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water: Partition coefficient n-octanol/water value) Vapour pressure:	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable undetermined. Not determined. Not determined.
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water: Partition coefficient n-octanol/water value) Vapour pressure: Density and/or relative density Density:	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined. Not determined. Not determined. Not determined. Not determined. Not determined. See technical datasheet
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water: Partition coefficient n-octanol/water value) Vapour pressure: Density and/or relative density Density: Relative density Vapour density	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined. Not determined. Not determined. Not determined. Not determined. Not determined. See technical datasheet Not determined.
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water: Partition coefficient n-octanol/water value) Vapour pressure: Density and/or relative density Density: Relative density Vapour density 9.2 Other information	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined. Not determined. Not determined. Not determined. Not determined. Not determined. See technical datasheet Not determined. Not determined.
SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point a boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water: Partition coefficient n-octanol/water of value) Vapour pressure: Density and/or relative density Density: Relative density Vapour density	nical properties d chemical properties Solid. According to product specification Characteristic undetermined nd undetermined not applicable not applicable undetermined. Not determined. Not determined. Not determined. Not determined. Not determined. See technical datasheet Not determined.

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

Printing date 22.02.2023

Version 3 (replaces version 2)

Revision: 22.02.2023

### Trade name: OTTOCOLL P 525 Komp. B

 • Explosive properties:
 Product does not present an explosion hazard.

 • Information with regard to physical hazard classes
 Void

 • Aerosols
 Void

 • Flammable liquids
 Void

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.
- **10.3 Possibility of hazardous reactions** Reacts with alcohols Reacts with amines Exothermic reaction
- **10.5 Incompatible materials:** If isocyanate gets in contact with humidity, carbon dioxide is released. The carbon dioxide causes an overpressure in closed containers.
- 10.6 Hazardous decomposition products: see item 5.2

# **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Harmful if inhaled.
- · LD/LC50 values relevant for classification:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Oral LD50 >10,000 mg/kg (rat)

Dermal LD50 >9,400 mg/kg (rbt)

Inhalative LC50/4 h 0.49 mg/l (rat)

#### 101-68-8 diphenylmethane-4,4'-di-isocyanante

Oral LD50 >10,000 mg/kg (rat)

Dermal LD50 >9,400 mg/kg (rbt)

#### 5873-54-1 diphenylmethane-2,4'-diisocyanate

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 9,400 mg/kg (rbt)

Inhalative LC50/4 h 0.387 mg/l (rat)

#### Isoparaffins

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rab)

Inhalative LC50/4 h >5,000 mg/l (rat)

#### 4083-64-1 4-isocyanatosulphonyltoluene

Oral LD50 2,600 mg/kg (rat)

Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation

Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

· Carcinogenicity Suspected of causing cancer.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 22.02.2023

Version 3 (replaces version 2)

Revision: 22.02.2023

#### Trade name: OTTOCOLL P 525 Komp. B

- · STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.2 Persistence and degradability
- · Other information: Product is not biodegradable.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

Recommendation

Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

- · Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

# SECTION 14: Transport information

<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> <li>14.3 Transport hazard class(es)</li> </ul>	Void Void	
· ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> </ul>	Not applicable.	
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.	
14.7 Maritime transport in bulk according	y to	
IMO instruments	Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	
		GB

(Contd. on page 8)

(Contd. of page 6)

Printing date 22.02.2023

Version 3 (replaces version 2)

Revision: 22.02.2023

## Trade name: OTTOCOLL P 525 Komp. B

(Contd. of page 7)

SECTION 15: Regulatory information	
<ul> <li>15.1 Safety, health and environmental regulations/legislation specific for the substa mixture</li> </ul>	ance or
<ul> <li>Directive 2012/18/EU</li> <li>Named dangerous substances - ANNEX I None of the ingredients is listed.</li> </ul>	
· National regulations	
<ul> <li>Information about limitation of use: Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.</li> </ul>	
<ul> <li>Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water Details of international registration status:</li> <li>Listed on or in accordance with the following inventories:</li> <li>UK REACH - Europe listed</li> <li>AICS - Australia listed</li> <li>DSL- Canada listed</li> <li>IECSC - China listed</li> <li>ENCS - Japan listed</li> <li>TCSI - Taiwan listed</li> <li>NZIoC - New Zealand not listed</li> <li>ECL - Korea listed</li> <li>PICCS - Philippines listed</li> <li>TSCA - USA listed</li> <li>15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried</li> </ul>	
<b>SECTION 16: Other information</b> This information is based on our present knowledge. However, this shall not constitute a g for any specific product features and shall not establish a legally valid contractual relation	guarantee ship.
· Relevant phrases	
H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H319 Causes serious eye irritation. H332 Harmful if inhaled.	
H332 Harmul in Innaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H335 May cause respiratory irritation.	
<ul> <li>H351 Suspected of causing cancer.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure.</li> </ul>	
EUH014 Reacts violently with water.	
EUH066 Repeated exposure may cause skin dryness or cracking.	
EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction.	
EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. • <b>Department issuing SDS:</b> Tel.: 0049- (0)8684- 908- 2363	
EUH066 Repeated exposure may cause skin dryness or cracking. EUH204 Contains isocyanates. May produce an allergic reaction. • <b>Department issuing SDS:</b> Tel.: 0049- (0)8684- 908- 2363 • <b>Contact:</b> Tel.: 0049- (0)8684- 908- 2363 ( -4300 )	
<ul> <li>EUH066 Repeated exposure may cause skin dryness or cracking.</li> <li>EUH204 Contains isocyanates. May produce an allergic reaction.</li> <li>Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363</li> <li>Contact: Tel.: 0049- (0)8684- 908- 2363 (-4300)</li> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> </ul>	Concerning
<ul> <li>EUH066 Repeated exposure may cause skin dryness or cracking.</li> <li>EUH204 Contains isocyanates. May produce an allergic reaction.</li> <li>Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363</li> <li>Contact: Tel.: 0049- (0)8684- 908- 2363 ( -4300 )</li> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association</li> </ul>	Concerning
<ul> <li>EUH066 Repeated exposure may cause skin dryness or cracking.</li> <li>EUH204 Contains isocyanates. May produce an allergic reaction.</li> <li>Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363</li> <li>Contact: Tel.: 0049- (0)8684- 908- 2363 ( -4300 )</li> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances</li> </ul>	Concerning
<ul> <li>EUH066 Repeated exposure may cause skin dryness or cracking.</li> <li>EUH204 Contains isocyanates. May produce an allergic reaction.</li> <li>Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363</li> <li>Contact: Tel.: 0049- (0)8684- 908- 2363 ( -4300 )</li> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> </ul>	Concerning
<ul> <li>EUH066 Repeated exposure may cause skin dryness or cracking.</li> <li>EUH204 Contains isocyanates. May produce an allergic reaction.</li> <li>Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363</li> <li>Contact: Tel.: 0049- (0)8684- 908- 2363 ( -4300 )</li> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LC50: Lethal concentration, 50 percent</li> </ul>	Concerning
<ul> <li>EUH066 Repeated exposure may cause skin dryness or cracking.</li> <li>EUH204 Contains isocyanates. May produce an allergic reaction.</li> <li>Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363</li> <li>Contact: Tel.: 0049- (0)8684- 908- 2363 ( -4300 )</li> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> </ul>	Concerning
<ul> <li>EUH066 Repeated exposure may cause skin dryness or cracking.</li> <li>EUH204 Contains isocyanates. May produce an allergic reaction.</li> <li>Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363</li> <li>Contact: Tel.: 0049- (0)8684- 908- 2363 ( -4300 )</li> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LC50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPVB: very Persistent and very Bioaccumulative</li> <li>Acute Tox. 4: Acute toxicity – Category 4</li> </ul>	Concerning td. on page 9)

Printing date 22.02.2023

Version 3 (replaces version 2)

Revision: 22.02.2023

#### Trade name: OTTOCOLL P 525 Komp. B

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 • \* **Data compared to the previous version altered.**  (Contd. of page 8)

GB