

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

**Ardex**

Index: 27.03.2024

FK Belastungsfuge	OTTOSEAL® S 100	
basalt	C67	anthracite
grau	C18	sanitary grey
G10 Premium Flex-Fugenmörtel	OTTOSEAL® S 100	
anthrazit	C5176	velvet black
bahamabeige	C6672	sand-beige
balibraun	C05	brown
basalt	C67	anthracite
dunkelbraun	C21	bali
grau	C18	sanitary grey
graubraun	C6777	fango
hellgrau	C787	flash grey
jasmin	C08	jasmin
jurabeige	C103	sahara
pergamon	C84	pergamum
	C8684	matt pergamum
sandbeige	C6672	sand-beige
sandgrau	C1010	grey-red
silbergrau	C230	fog
steingrau	C18	sanitary grey
weiß	C116	snow-white
zementgrau	C79	stone grey
G4 Basic Fugenmörtel schmal 1-6 mm	OTTOSEAL® S 100	
silbergrau	C230	fog
G6 Flex Flex-Fugenmörtel 1-6 mm	OTTOSEAL® S 100	
brillantweiß	C01	white
	C8687	matt white
hellgrau	C787	flash grey
pergamon	C84	pergamum
	C8684	matt pergamum
silbergrau	C230	fog
zementgrau	C79	stone grey

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

**Ardex**

Index: 27.03.2024

G8S Flex Flex-Fugenmörtel 1-6mm - schnell	OTTOSEAL® S 100	
anthrazit	C5176	velvet black
basalt	C67	anthracite
grau	C18	sanitary grey
graubraun	C6777	fango
hellgrau	C787	flash grey
jurabeige	C103	sahara
pergamon	C84	pergamum
	C8684	matt pergamum
sandbeige	C6672	sand-beige
sandgrau	C1010	grey-red
silbergrau	C230	fog
steingrau	C18	sanitary grey
weiß	C01	white
zementgrau	C79	stone grey
G9S Flex Flex-Fugenmörtel 2-15 mm schnell	OTTOSEAL® S 100	
basalt	C67	anthracite
grau	C18	sanitary grey
zementgrau	C79	stone grey
GK Belastungsfuge ab 4 mm	OTTOSEAL® S 100	
grau	C18	sanitary grey
sandbeige	C6672	sand-beige
RG 12 1-6 Feine Epoxifuge	OTTOSEAL® S 100	
anthrazit	C5176	velvet black
bahamabeige	C6672	sand-beige
basalt	C67	anthracite
grau	C18	sanitary grey
graubraun	C6777	fango
sandgrau	C1010	grey-red
silbergrau	C230	fog
weiß	C116	snow-white
WA Epoxifuge	OTTOSEAL® S 100	
anthrazit	C5176	velvet black
grau	C52	platinum grey
silbergrau	C230	fog
weiß	C01	white
	C8687	matt white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



**Sealants • Adhesives**

# Colour recommendations

## OTTOSEAL® S 105

The bathroom silicone

### Ardex

Index: 27.03.2024

FK Belastungsfuge	OTTOSEAL® S 105	
basalt	C67	anthracite
grau	C18	sanitary grey
G10 Premium Flex-Fugenmörtel	OTTOSEAL® S 105	
bahamabeige	C1106	beach-beige
balibraun	C05	brown
basalt	C67	anthracite
grau	C18	sanitary grey
hellgrau	C787	flash grey
jasmin	C08	jasmin
jurabeige	C10	bahamabeige
pergamon	C84	pergamum
sandbeige	C1106	beach-beige
silbergrau	C230	fog
steingrau	C18	sanitary grey
weiß	C116	snow-white
zementgrau	C79	stone grey
G4 Basic Fugenmörtel schmal 1-6 mm	OTTOSEAL® S 105	
silbergrau	C230	fog
G6 Flex Flex-Fugenmörtel 1-6 mm	OTTOSEAL® S 105	
brillantweiß	C01	white
hellgrau	C787	flash grey
pergamon	C84	pergamum
silbergrau	C230	fog
zementgrau	C79	stone grey
G8S Flex Flex-Fugenmörtel 1-6mm - schnell	OTTOSEAL® S 105	
basalt	C67	anthracite
grau	C18	sanitary grey
hellgrau	C787	flash grey
jurabeige	C10	bahamabeige
pergamon	C84	pergamum
sandbeige	C1106	beach-beige
silbergrau	C230	fog
steingrau	C18	sanitary grey
weiß	C01	white
zementgrau	C79	stone grey
G9S Flex Flex-Fugenmörtel 2-15 mm schnell	OTTOSEAL® S 105	
basalt	C67	anthracite
grau	C18	sanitary grey
zementgrau	C79	stone grey

# Colour recommendations

## OTTOSEAL® S 105

The bathroom silicone

### Ardex

Index: 27.03.2024

GK Belastungsfuge ab 4 mm	OTTOSEAL® S 105	
grau	C18	sanitary grey
sandbeige	C1106	beach-beige
RG 12 1-6 Feine Epoxifuge	OTTOSEAL® S 105	
bahamabeige	C1106	beach-beige
basalt	C67	anthracite
grau	C18	sanitary grey
silbergrau	C230	fog
weiß	C116	snow-white
WA Epoxifuge	OTTOSEAL® S 105	
grau	C52	platinum grey
silbergrau	C230	fog
weiß	C01	white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



## Colour recommendations

### OTTOSEAL® S 125

The low-odour floor and sanitary silicone

**Ardex**

Index: 27.03.2024

FK Belastungsfuge	OTTOSEAL® S 125	
basalt	C137	anthracite grey
grau	C18	sanitary grey
G10 Premium Flex-Fugenmörtel	OTTOSEAL® S 125	
anthrazit	C376	anthracite
balibraun	C05	brown
basalt	C137	anthracite grey
grau	C8338	matt stone grey
hellgrau	C7047	RAL 7047
jasmin	C112	fair jasmin
pergamon	C112	fair jasmin
silbergrau	C7047	RAL 7047
steingrau	C6834	matt sanitary grey
weiß	C116	snow-white
G4 Basic Fugenmörtel schmal 1-6 mm	OTTOSEAL® S 125	
silbergrau	C7047	RAL 7047
G6 Flex Flex-Fugenmörtel 1-6 mm	OTTOSEAL® S 125	
brillantweiß	C01	white
hellgrau	C7047	RAL 7047
pergamon	C112	fair jasmin
silbergrau	C7047	RAL 7047
G8S Flex Flex-Fugenmörtel 1-6mm - schnell	OTTOSEAL® S 125	
anthrazit	C376	anthracite
basalt	C137	anthracite grey
grau	C18	sanitary grey
hellgrau	C7047	RAL 7047
pergamon	C112	fair jasmin
silbergrau	C7047	RAL 7047
steingrau	C18	sanitary grey
weiß	C01	white
G9S Flex Flex-Fugenmörtel 2-15 mm schnell	OTTOSEAL® S 125	
basalt	C137	anthracite grey
grau	C8338	matt stone grey
GK Belastungsfuge ab 4 mm	OTTOSEAL® S 125	
grau	C18	sanitary grey

## Colour recommendations

### OTTOSEAL® S 125

The low-odour floor and sanitary silicone

**Ardex**

Index: 27.03.2024

RG 12 1-6 Feine Epoxifuge	OTTOSEAL® S 125	
anthrazit	C376	anthracite
basalt	C137	anthracite grey
grau	C18	sanitary grey
silbergrau	C7047	RAL 7047
weiß	C116	snow-white
WA Epoxifuge	OTTOSEAL® S 125	
anthrazit	C376	anthracite
grau	C8338	matt stone grey
silbergrau	C7047	RAL 7047
weiß	C116	snow-white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



**Sealants • Adhesives**

# Colour recommendations

## OTTOSEAL® S 70

The premium natural stone silicone

Ardex

Index: 27.03.2024

FK Belastungsfuge	OTTOSEAL® S 70	
basalt	C137	anthracite grey
grau	C18	sanitary grey
G10 Premium Flex-Fugenmörtel	OTTOSEAL® S 70	
anthrazit	C67	anthracite
bahamabeige	C1110	sandstone-beige
balibraun	C05	brown
basalt	C137	anthracite grey
grau	C18	sanitary grey
graubraun	C41	grey-red structure
hellgrau	C787	flash grey
jasmin	C08	jasmin
jurabeige	C10	bahamabeige
pergamon	C84	pergamum
sandbeige	C1110	sandstone-beige
silbergrau	C230	fog
steingrau	C18	sanitary grey
weiß	C01	white
G4 Basic Fugenmörtel schmal 1-6 mm	OTTOSEAL® S 70	
silbergrau	C230	fog
G6 Flex Flex-Fugenmörtel 1-6 mm	OTTOSEAL® S 70	
brillantweiß	C01	white
hellgrau	C787	flash grey
pergamon	C84	pergamum
silbergrau	C230	fog
G8S Flex Flex-Fugenmörtel 1-6mm - schnell	OTTOSEAL® S 70	
anthrazit	C67	anthracite
basalt	C137	anthracite grey
grau	C18	sanitary grey
graubraun	C41	grey-red structure
hellgrau	C787	flash grey
jurabeige	C10	bahamabeige
pergamon	C84	pergamum
sandbeige	C1110	sandstone-beige
silbergrau	C230	fog
steingrau	C18	sanitary grey
weiß	C01	white
G9S Flex Flex-Fugenmörtel 2-15 mm schnell	OTTOSEAL® S 70	
basalt	C137	anthracite grey
grau	C18	sanitary grey

# Colour recommendations

## OTTOSEAL® S 70

The premium natural stone silicone

Ardex

Index: 27.03.2024

GK Belastungsfuge ab 4 mm	OTTOSEAL® S 70	
grau	C18	sanitary grey
sandbeige	C1110	sandstone-beige

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



# Colour recommendations

## OTTOSEAL® S 80

The premium alkoxy natural stone silicone

**Ardex**

Index: 27.03.2024

FK Belastungsfuge	OTTOSEAL® S 80	
basalt	C6116	matt anthracite grey
grau	C6111	matt sanitary grey
G10 Premium Flex-Fugenmörtel	OTTOSEAL® S 80	
anthrazit	C1300	matt anthracite
basalt	C6116	matt anthracite grey
grau	C6111	matt sanitary grey
jasmin	C6117	matt jasmin
jurabeige	C6115	matt bahamabeige
pergamon	C6117	matt jasmin
steingrau	C6111	matt sanitary grey
weiß	C01	white
G6 Flex Flex-Fugenmörtel 1-6 mm	OTTOSEAL® S 80	
brillantweiß	C01	white
pergamon	C6117	matt jasmin
G8S Flex Flex-Fugenmörtel 1-6mm - schnell	OTTOSEAL® S 80	
anthrazit	C1300	matt anthracite
basalt	C6116	matt anthracite grey
grau	C6111	matt sanitary grey
jurabeige	C6115	matt bahamabeige
pergamon	C6117	matt jasmin
steingrau	C6111	matt sanitary grey
weiß	C01	white
G9S Flex Flex-Fugenmörtel 2-15 mm schnell	OTTOSEAL® S 80	
basalt	C6116	matt anthracite grey
grau	C6116	matt anthracite grey
GK Belastungsfuge ab 4 mm	OTTOSEAL® S 80	
grau	C6111	matt sanitary grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



**Sealants • Adhesives**