

Colour recommendations

OTTOSEAL® M 390

The floor sealant

Codex (ehem. Uzin)

Index: 20.01.2023

X-Fusion	OTTOSEAL® M 390
achatgrau 04	C8180 pebble grey
anthrazit 10	C2260 basalt
jurabeige 41	C10 bahamabeige
sahara 40	C10 bahamabeige

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Codex (ehem. Uzin)

Index: 20.01.2023

Brillant Color Xtra	OTTOSEAL® S 100
achatgrau 04	C94 silver-grey C8678 matt silver-grey
anthrazit 10	C67 anthracite C8683 matt anthracite
bahamabeige 13	C84 pergamum C8684 matt pergamum
beton 38	C02 grey C8680 matt grey
brillantweiß 01	C51 old white
caramel 15	C22 anemone
choco 17	C05 brown
dunkelgrau 09	C02 grey C8680 matt grey
graphit 39	C67 anthracite C8683 matt anthracite
jasmin 12	C69 joint white
lichtblau 22	C753 crocus-blue
manhattan 03	C86 pale grey
mint 26	C695 aegean blue
pergamon 11	C84 pergamum C8684 matt pergamum
sandbeige 14	C82 red-beige
silbergrau 02	C787 flash grey
Brillant Cristal	OTTOSEAL® S 100
achatgrau 04	C94 silver-grey C8678 matt silver-grey
anthrazit 10	C67 anthracite C8683 matt anthracite
bahamabeige 13	C84 pergamum C8684 matt pergamum
beton 38	C02 grey C8680 matt grey
brillantweiß 01	C51 old white
choco 17	C05 brown
dunkelgrau 09	C02 grey C8680 matt grey
graphit 39	C67 anthracite C8683 matt anthracite
havanna 36	C60 umbra
jasmin 12	C69 joint white
jurabeige 41	C6778 silk
kaschmirgrau 35	C2044 sand grey 18
lichtgrau 05	C77 silk grey
mocca 42	C6777 fango
platingrau 33	C43 manhattan C8679 matt manhattan
sahara 40	C1106 beach-beige
sandbeige 14	C82 red-beige
silbergrau 02	C45 chinchilla

These colour recommendations between pre-fabricated grouts and the corresponding OTTOSEAL® S 100 taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Codex (ehem. Uzin)

Index: 20.01.2023

Brillant Flex	OTTOSEAL® S 100	
grau 06	C56	concrete grey
Brillant Flex Basic	OTTOSEAL® S 100	
anthrazit 10	C67	anthracite
	C8683	matt anthracite
grau 06	C56	concrete grey
zementgrau 08	C2044	sand grey 18
Brillant Objekt	OTTOSEAL® S 100	
lichtgrau 05	C77	silk grey
Brillant XL	OTTOSEAL® S 100	
zementgrau 08	C2044	sand grey 18
Epo Tix	OTTOSEAL® S 100	
silbergrau 02	C45	chinchilla
zementgrau 08	C2044	sand grey 18
Resist	OTTOSEAL® S 100	
zementgrau	C2044	sand grey 18
X-Fusion	OTTOSEAL® S 100	
achatgrau 04	C79	stone grey
anthrazit 10	C5176	velvet black
bahamabeige 13	C84	pergamum
	C8684	matt pergamum
beton 38	C02	grey
	C8680	matt grey
choco 17	C05	brown
cremeweiß 37	C51	old white
graphit 39	C67	anthracite
	C8683	matt anthracite
grau 06	C56	concrete grey
havanna 36	C75	cottojoint
jasmin 12	C69	joint white
jurabeige 41	C6778	silk
manhattan 03	C86	pale grey
mocca 42	C6777	fango
platingrau 33	C43	manhattan
	C8679	matt manhattan
sahara 40	C1169	melba
sandbeige 14	C82	red-beige
schwarz 34	C5176	velvet black
silbergrau 02	C45	chinchilla

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Codex (ehem. Uzin)

Index: 20.01.2023

X-Star	OTTOSEAL® S 100	
achatgrau 04	C94	silver-grey
	C8678	matt silver-grey
anthrazit 10	C67	anthracite
	C8683	matt anthracite
dunkelgrau 09	C02	grey
	C8680	matt grey
havanna 36	C60	umbra
kaschmirgrau 35	C2044	sand grey 18
lichtgrau 05	C77	silk grey
platingrau 33	C72	flannel grey
silbergrau 02	C787	flash grey
X-Tec	OTTOSEAL® S 100	
achatgrau 04	C94	silver-grey
	C8678	matt silver-grey
anthrazit 10	C67	anthracite
	C8683	matt anthracite
bahamabeige 13	C84	pergamum
	C8684	matt pergamum
beton 38	C02	grey
	C8680	matt grey
dunkelgrau 09	C02	grey
	C8680	matt grey
graphit 39	C67	anthracite
	C8683	matt anthracite
grau 06	C56	concrete grey
jasmin 12	C69	joint white
kaschirgrau 35	C2044	sand grey 18
lichtgrau 05	C77	silk grey
platingrau 33	C43	manhattan
	C8679	matt manhattan
silbergrau 02	C787	flash grey



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 110

The premium construction silicone

Codex (ehem. Uzin)

Index: 20.01.2023

Brillant Color Xtra	OTTOSEAL® S 110
achatgrau 04	C94 silver-grey
bahamabeige 13	C84 pergamum
beton 38	C20 fair grey
brillantweiß 01	C84 pergamum
caramel 15	C76 beech
choco 17	C05 brown
dunkelgrau 09	C20 fair grey
jasmin 12	C1216 jasmin
pergamon 11	C84 pergamum
silbergrau 02	C94 silver-grey
Brillant Cristal	OTTOSEAL® S 110
achatgrau 04	C94 silver-grey
anthrazit 10	C03 dark grey
bahamabeige 13	C84 pergamum
beton 38	C20 fair grey
brillantweiß 01	C84 pergamum
choco 17	C05 brown
dunkelgrau 09	C20 fair grey
jasmin 12	C1216 jasmin
lichtgrau 05	C43 manhattan
silbergrau 02	C94 silver-grey
Brillant Flex Basic	OTTOSEAL® S 110
anthrazit 10	C03 dark grey
Brillant Objekt	OTTOSEAL® S 110
lichtgrau 05	C43 manhattan
Epo Tix	OTTOSEAL® S 110
silbergrau 02	C94 silver-grey
X-Fusion	OTTOSEAL® S 110
achatgrau 04	C94 silver-grey
beton 38	C20 fair grey
choco 17	C05 brown
cremeweiß 37	C84 pergamum
graphit 39	C155 anthracite
grau 06	C56 concrete grey
jasmin 12	C1216 jasmin
platingrau 33	C56 concrete grey
schwarz 34	C155 anthracite
silbergrau 02	C94 silver-grey

Colour recommendations

OTTOSEAL® S 110

The premium construction silicone

Codex (ehem. Uzin)

Index: 20.01.2023

X-Star	OTTOSEAL® S 110
achatgrau 04	C94 silver-grey
dunkelgrau 09	C20 fair grey
lichtgrau 05	C43 manhattan
X-Tec	OTTOSEAL® S 110
achatgrau 04	C94 silver-grey
anthrazit 10	C03 dark grey
bahamabeige 13	C84 pergamum
beton 38	C20 fair grey
dunkelgrau 09	C20 fair grey
lichtgrau 05	C43 manhattan
silbergrau 02	C94 silver-grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 125

The low-odour floor and sanitary silicone

Codex (ehem. Uzin)

Index: 20.01.2023

X-Fusion	OTTOSEAL® S 125
achatgrau 04	C94 silver-grey
anthrazit 10	C6831 matt anthracite grey
beton 38	C8338 matt stone grey
choco 17	C05 brown
cremeweiß 37	C69 joint white
graphit 39	C137 anthracite grey
grau 06	C6216 concrete grey
jasmin 12	C8336 matt fair jasmin
manhattan 03	C94 silver-grey
platingrau 33	C8337 stone grey
silbergrau 02	C433 linsey grey

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Codex (ehem. Uzin)

Index: 20.01.2023

Brillant Color Xtra	OTTOSEAL® S 70
achatgrau 04	C1108 autumn-grey
anthrazit 10	C137 anthracite grey
beton 38	C1109 night-grey
brillantweiß 01	C38 light-grey
choco 17	C05 brown
graphit 39	C137 anthracite grey
jasmin 12	C08 jasmin
manhattan 03	C230 fog
pergamon 11	C84 pergamum
sandbeige 14	C82 red-beige
silbergrau 02	C230 fog
Brillant Cristal	OTTOSEAL® S 70
achatgrau 04	C1108 autumn-grey
anthrazit 10	C137 anthracite grey
bahamabeige 13	C1110 sandstone-beige
beton 38	C1109 night-grey
brillantweiß 01	C38 light-grey
choco 17	C05 brown
dunkelgrau 09	C1109 night-grey
graphit 39	C137 anthracite grey
jasmin 12	C08 jasmin
jurabeige 41	C10 bahamabeige
lichtgrau 05	C43 manhattan
platingrau 33	C18 sanitary grey
sandbeige 14	C82 red-beige
silbergrau 02	C230 fog
Brillant Flex	OTTOSEAL® S 70
grau 06	C56 concrete grey
Brillant Flex Basic	OTTOSEAL® S 70
anthrazit 10	C1109 night-grey
grau 06	C56 concrete grey
Epo Tix	OTTOSEAL® S 70
silbergrau 02	C230 fog

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Codex (ehem. Uzin)

Index: 20.01.2023

X-Fusion	OTTOSEAL® S 70	
achatgrau 04	C1108	autumn-grey
beton 38	C1109	night-grey
choco 17	C05	brown
cremeweiß 37	C38	light-grey
graphit 39	C137	anthracite grey
grau 06	C56	concrete grey
jasmin 12	C08	jasmin
jurabeige 41	C10	bahamabeige
manhattan 03	C1108	autumn-grey
platingrau 33	C18	sanitary grey
sandbeige 14	C82	red-beige
schwarz 34	C04	black
silbergrau 02	C230	fog
X-Star	OTTOSEAL® S 70	
achatgrau 04	C1108	autumn-grey
anthrazit 10	C137	anthracite grey
dunkelgrau 09	C1109	night-grey
lichtgrau 05	C43	manhattan
platingrau 33	C18	sanitary grey
silbergrau 02	C787	flash grey
X-Tec	OTTOSEAL® S 70	
achatgrau 04	C1108	autumn-grey
beton 38	C1109	night-grey
graphit 39	C137	anthracite grey
lichtgrau 05	C43	manhattan
platingrau 33	C43	manhattan
silbergrau 02	C230	fog

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Codex (ehem. Uzin)

Index: 20.01.2023

Brillant Color Xtra	OTTOSEAL® S 80	
anthrazit 10	C137	anthracite grey
	C6116	matt anthracite grey
beton 38	C1109	night-grey
brillantweiß 01	C38	light-grey
graphit 39	C137	anthracite grey
	C6116	matt anthracite grey
jasmin 12	C6117	matt jasmin
	C8652	matt sanded jasmin
Brillant Cristal	OTTOSEAL® S 80	
anthrazit 10	C137	anthracite grey
	C6116	matt anthracite grey
beton 38	C1109	night-grey
brillantweiß 01	C38	light-grey
dunkelgrau 09	C1109	night-grey
graphit 39	C137	anthracite grey
	C6116	matt anthracite grey
jasmin 12	C6117	matt jasmin
	C8652	matt sanded jasmin
jurabeige 41	C10	bahamabeige
	C6115	matt bahamabeige
lichtgrau 05	C43	manhattan
	C1282	matt manhattan
platingrau 33	C18	sanitary grey
	C6111	matt sanitary grey
	C8650	matt sanded sanitary grey
Brillant Flex	OTTOSEAL® S 80	
grau 06	C8654	matt sanded concrete grey
Brillant Flex Basic	OTTOSEAL® S 80	
anthrazit 10	C1109	night-grey
grau 06	C8654	matt sanded concrete grey
X-Fusion	OTTOSEAL® S 80	
anthrazit 10	C137	anthracite grey
	C6116	matt anthracite grey
beton 38	C1109	night-grey
cremeweiß 37	C38	light-grey
graphit 39	C137	anthracite grey
	C6116	matt anthracite grey
jasmin 12	C6117	matt jasmin
	C8652	matt sanded jasmin
jurabeige 41	C10	bahamabeige
	C6115	matt bahamabeige
platingrau 33	C18	sanitary grey
	C6111	matt sanitary grey
	C8650	matt sanded sanitary grey
schwarz 34	C6114	matt black

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Codex (ehem. Uzin)

Index: 20.01.2023

X-Star	OTTOSEAL® S 80
anthrazit 10	C137 anthracite grey C6116 matt anthracite grey
dunkelgrau 09	C1109 night-grey
lichtgrau 05	C43 manhattan C1282 matt manhattan
platingrau 33	C18 sanitary grey C6111 matt sanitary grey C8650 matt sanded sanitary grey
X-Tec	OTTOSEAL® S 80
beton 38	C1109 night-grey
graphit 39	C137 anthracite grey C6116 matt anthracite grey
lichtgrau 05	C43 manhattan C1282 matt manhattan
platingrau 33	C43 manhattan C1282 matt manhattan

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives