**OTTOSEAL® M 390** 

The floor sealant

**Forbo Eurocol NL** 

### Colour recommendations

## **OTTOSEAL® S 100**

The premium bathroom silicone

# Forbo Eurocol NL

Index: 05.03.2024

Eurocol	отто	OTTOSEAL® M 390	
elegant	C98	rustic oak	
grijs	C56	concrete grey	
wit	C01	white	

Eurocol	OTTOSEAL® S 100	
antraciet	C5176	velvet black
beige	C1106	beach-beige
bruin	C7117	intense brown
buxy	C6778	silk
creme	C08	jasmin
elegant	C09	caramel
	C8686	matt caramel
grijs	C52	platinum grey
grijsbruin	C6777	fango
jasmin	C1107	vanilla-beige
manhattan-grijs	C71	joint-grey
rustic	C6776	volcano sand
silver	C18	sanitary grey
	C8681	matt sanitary grey
wit	C116	snow-white
zilvergrijs	C45	chinchilla

Index: 05.03.2024

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.



**OTTOSEAL® S 110** 

The premium construction silicone

Forbo Eurocol NL

**OTTOSEAL® S 117** 

The standard natural stone silicone

**Colour recommendations** 

Forbo Eurocol NL

Index: 05.03.2024 Index: 05.03.2024

Eurocol	OTTOSEAL® S 110	
antraciet	C155	anthracite
bruin	C05	brown
grijs	C56	concrete grey
jasmin	C9001	RAL 9001
manhattan-grijs	C433	linsey grey
silver	C18	sanitary grey
wit	C116	snow-white
zilvergrijs	C433	linsey grey

Eurocol	OTTOSEAL® S 117	
beige	C1110	sandstone-beige
buxy	C4098	buxy
grijs	C18	sanitary grey
silver	C18	sanitary grey
wit	C01	white
zilvergrijs	C80	pearl-grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.



### **OTTOSEAL® S 125**

The low-odour floor and sanitary silicone

### Forbo Eurocol NL

Index: 05.03.2024

### Colour recommendations

# **OTTOSEAL® S 130**

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

# **Forbo Eurocol NL**

Index: 05.03.2024

Eurocol	OTTOSEAL® S 125		
bruin	C05	brown	
grijs	C8338	matt stone grey	
jasmin	C9001	RAL 9001	
manhattan-grijs	C7047	RAL 7047	
silver	C18	sanitary grey	
wit	C116	snow-white	
zilvergrijs	C433	linsey grey	

Eurocol	OTTOSEAL® S 130	
beige	C10	bahamabeige
grijs	C18	sanitary grey
manhattan-grijs	C71	joint-grey
silver	C18	sanitary grey
wit	C116	snow-white
zilvergrijs	C71	joint-grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.



### **OTTOSEAL® S 140**

The hotel and spa silicone with double protection against mould

### Forbo Eurocol NL

Index: 05.03.2024

### **Colour recommendations**

### **OTTOSEAL® S 70**

The premium natural stone silicone

### Forbo Eurocol NL

.03.2024 Index: 05.03.2024

Eurocol	OTTOSE	OTTOSEAL® S 140	
grijs	C18	sanitary grey	
jasmin	C08	jasmin	
manhattan-grijs	C77	silk grey	
silver	C18	sanitary grey	
wit	C116	snow-white	
zilvergrijs	C77	silk grey	

Eurocol	OTTOSEAL® S 70	
antraciet	C137	anthracite grey
beige	C1110	sandstone-beige
bruin	C05	brown
grijs	C18	sanitary grey
manhattan-grijs	C787	flash grey
silver	C18	sanitary grey
wit	C01	white
zilvergrijs	C80	pearl-grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.



# **OTTOSEAL® S 80**

The premium alkoxy natural stone silicone

### Forbo Eurocol NL

Index: 05.03.2024

Eurocol	OTTOSEAL® S 80	
antraciet	C137 C6116	anthracite grey matt anthracite grey
grijs	C18	sanitary grey
	C6111 C8650	matt sanitary grey matt sanded sanitary grey
silver	C18 C6111	sanitary grey matt sanitary grey
	C8650	matt sanded sanitary grey
wit	C01 C6112	white matt white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

