

Colour recommendations

OTTOSEAL® M 390

The floor sealant

Forbo Marmoleum

Index: 23.08.2022

Cocoa	OTTOSEAL® M 390	
3581 dark chocolate	C49	dark brown
3582 earl grey chocolate	C56	concrete grey
3583 chocolate blues	C2260	basalt
3584 white chocolate	C8180	pebble grey
Concrete	OTTOSEAL® M 390	
3712 orange shimmer	C49	dark brown
Piano	OTTOSEAL® M 390	
3632 sealion	C49	dark brown
3650 polar bear	C8180	pebble grey
Slate	OTTOSEAL® M 390	
e3725 Welsh slate	C2260	basalt
Striato Colour	OTTOSEAL® M 390	
5253 bleached gold	C105	ash, pine, spruce, Eur. maple
5256 silt stone	C105	ash, pine, spruce, Eur. maple
Striato Original	OTTOSEAL® M 390	
5217 withered prairie	C98	rustic oak
5218 welsh moor	C49	dark brown
5225 compressed time	C1237	dark oak
Vivace - Real - Fresco	OTTOSEAL® M 390	
3075 shell	C105	ash, pine, spruce, Eur. maple
3232 horse roan	C10	bahamabeige
3233 shitake	C1237	dark oak
3432 fruit punsh	C8180	pebble grey
3433 rock pool	C8180	pebble grey
3872 volcanic ash	C2260	basalt
Walton	OTTOSEAL® M 390	
3367 alloy	C1172	titan grey
3370 terracotta	C17	cherry

Colour recommendations

OTTOSEAL® Parkett

The silicone-free joint plastic
parquet joint compound for wooden
laminated and cork floors

Forbo Marmoleum

Index: 23.08.2022

Cocoa	OTTOSEAL® Parkett	
3581 dark chocolate	C700	antique oak
Concrete	OTTOSEAL® Parkett	
3726 Venus	C105	ash, pine, spruce, Eur. maple
Piano	OTTOSEAL® Parkett	
3613 almost darkness	C6118	black oak
Striato Colour	OTTOSEAL® Parkett	
5255 desert sand	C884	natural ash
5257 sandy chalk	C884	natural ash
Striato Original	OTTOSEAL® Parkett	
5217 withered prairie	C98	rustic oak
5218 welsh moor	C700	antique oak
5232 rocky ice	C71	joint-grey
Vivace - Real - Fresco	OTTOSEAL® Parkett	
2939 black	C6118	black oak
3075 shell	C53	light-beech, Can. maple
3171 van gogh	C105	ash, pine, spruce, Eur. maple
3174 sahara	C53	light-beech, Can. maple
3432 fruit punsh	C71	joint-grey
3858 barbados	C884	natural ash
Walton	OTTOSEAL® Parkett	
123 black	C6118	black oak
3370 terracotta	C85	doussie, pear tree

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 125

The low-odour floor and sanitary silicone

Forbo Marmoleum

Index: 23.08.2022

Concrete	OTTOSEAL® S 125
3704 satellite	C8338 matt stone grey
3706 beton	C6834 matt sanitary grey
3707 black hole	C7112 matt black
3723 nebula	C6831 matt anthracite grey
3725 cosmos	C8340 matt basalt grey
3726 Venus	C7105 matt fair oak
Piano	OTTOSEAL® S 125
3601 warm grey	C6834 matt sanitary grey
3607 grey dusk	C6831 matt anthracite grey
3613 almost darkness	C7112 matt black
3629 frosty grey	C7110 matt silk grey
Slate	OTTOSEAL® S 125
e3725 Welsh slate	C8340 matt basalt grey
Striato Colour	OTTOSEAL® S 125
5249 Stonehenge	C6874 matt manhattan
5251 black glacier	C6831 matt anthracite grey
Striato Original	OTTOSEAL® S 125
5217 withered prairie	C7094 matt fair brown
Vivace - Real - Fresco	OTTOSEAL® S 125
2621 dove grey	C6874 matt manhattan
2629 eiger	C8338 matt stone grey
2939 black	C7112 matt black
3048 graphite	C6831 matt anthracite grey
3075 shell	C7105 matt fair oak
3136 concrete	C6645 matt silver-grey
3137 slate grey	C6831 matt anthracite grey
3146 serene grey	C6834 matt sanitary grey
3420 surprising storm	C6834 matt sanitary grey
3432 fruit punch	C7110 matt silk grey
3858 barbados	C7105 matt fair oak
3861 arabian pearl	C7105 matt fair oak
3872 volcanic ash	C8340 matt basalt grey
3889 cinder	C6834 matt sanitary grey
3890 oat	C05 brown
Walton	OTTOSEAL® S 125
123 black	C7112 matt black
171 cement	C6834 matt sanitary grey
3368 grey iron	C6831 matt anthracite grey
3369 titanium	C7110 matt silk grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Forbo Marmoleum

Index: 23.08.2022

Cocoa	OTTOSEAL® S 51
3580 milk chocolate	C1667 taupe
3581 dark chocolate	C49 dark brown
Concrete	OTTOSEAL® S 51
3703 comet	C67 anthracite
3706 beton	C79 stone grey
3707 black hole	C04 black
3708 fossil	C79 stone grey
3712 orange shimmer	C79 stone grey
3724 orbit	C79 stone grey
3725 cosmos	C67 anthracite
3727 drift	C10 bahamabeige
3729 mica	C979 sandstone grey
3732 asteroid	C81 thistle-grey
3733 yellow shimmer	C979 sandstone grey
3736 green shimmer	C62 agate grey
3738 orange glow	C1129 orangina
3740 purple glow	C7703 blackberry
3742 green glow	C7699 lime green
3743 red glow	C1066 tomato
Decibel	OTTOSEAL® S 51
370735 black hole	C04 black
372435 orbit	C79 stone grey
373835 orange glow	C1129 orangina
374235 green glow	C7699 lime green
Piano	OTTOSEAL® S 51
3601 warm grey	C62 agate grey
3607 grey dusk	C67 anthracite
3613 almost darkness	C04 black
3625 salsa red	C1063 brown-red
3632 sealion	C49 dark brown
3642 periwinkl	C964 blue-grey
3644 Nordic blue	C1042 aqua
3646 young grass	C7699 lime green
3651 zinnia	C1129 orangina
Slate	OTTOSEAL® S 51
e3725 Welsh slate	C67 anthracite
e3746 Newfoundland slate	C04 black



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Forbo Marmoleum

Index: 23.08.2022

Striato Colour	OTTOSEAL® S 51
5241 sunshine yellow	C5128 pine
5242 red roses	C1066 tomato
5243 peacock blue	C1042 aqua
5244 hint of yellow	C979 sandstone grey
5245 blue stroke	C1671 blue grey
5246 orange highlights	C79 stone grey
5249 Stonehenge	C79 stone grey
5250 blue basalt	C1667 taupe
5253 bleached gold	C103 sahara
5254 red horse	C1062 pale brown
5255 desert sand	C103 sahara
5256 silt stone	C1043 cream beige
5257 sandy chalk	C1646 pure white
Striato Original	OTTOSEAL® S 51
3573 trace of nature	C10 bahamabeige
5216 pacific beaches	C5128 pine
5217 withered prairie	C98 rustic oak
5218 welsh moor	C49 dark brown
5225 compressed time	C64 fair oak
5230 white wash	C103 sahara
5232 rocky ice	C979 sandstone grey
5237 black sheep	C67 anthracite
5238 staw field	C5128 pine
5239 oxidized copper	C98 rustic oak
5240 canyon shadow	C85 doussie, pear tree
Striato Textura	OTTOSEAL® S 51
e 3573 trace of nature	C79 stone grey
e 5217 withered prairie	C98 rustic oak
e 5231 Cliffs of Moher	C1667 taupe
e 5232 rocky ice	C979 sandstone grey
e 5235 North Sea coast	C10 bahamabeige
e 5236 fox club	C98 rustic oak

These colour recommendations between pre-fabricated grouts and the corresponding OTTOSEAL® S 51 taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Forbo Marmoleum

Index: 23.08.2022

Vivace - Real - Fresco	OTTOSEAL® S 51
2123 arabesque	C1172 titan grey
2499 sand	C1657 crema
2621 dove grey	C81 thistle-grey
2713 calico	C103 sahara
2767 rust	C85 doussie, pear tree
2939 black	C04 black
3032 mist grey	C979 sandstone grey
3038 Carriibbean	C1657 crema
3053 dove blue	C1116 violet
3055 fresco blue	C964 blue-grey
3075 shell	C5128 pine
3120 rosato	C103 sahara
3125 golden sunset	C1049 saffron yellow
3126 kyoto	C1129 orangina
3131 scarlet	C1066 tomato
3141 himalaya	C1043 cream beige
3171 van gogh	C1056 pastel yellow
3174 sahara	C1053 clay
3203 henna	C1131 oxide-red
3205 laps lazuli	C983 deep sea blue
3216 moraine	C79 stone grey
3221 hyacinth	C958 brilliant blue
3224 chartreuse	C7699 lime green
3225 dandelion	C1049 saffron yellow
3232 horse roan	C1043 cream beige
3233 shitake	C98 rustic oak
3238 laguna	C1042 aqua
3248 mammoth	C49 dark brown
3263 rose	C1066 tomato
3270 violet	C958 brilliant blue
3405 granada	C1172 titan grey
3411 sunny day	C1056 pastel yellow
3416 fiery fantasy	C1066 tomato
3420 surprising storm	C62 agate grey
3424 chagall's circus	C1042 aqua
3425 autumn leaf	C1062 pale brown
3428 seashell	C979 sandstone grey
3431 limoncello	C979 sandstone grey
3433 rock pool	C979 sandstone grey
3828 blue heaven	C1172 titan grey
3846 natural corn	C1056 pastel yellow
3858 barbados	C1657 crema
3861 arabian pearl	C103 sahara
3871 silver birch	C979 sandstone grey
3872 volcanic ash	C67 anthracite
3876 camel	C64 fair oak
3883 moonstone	C81 thistle-grey
3885 spring buds	C7699 lime green
3886 mother of pearl	C103 sahara
3889 cinder	C62 agate grey



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Forbo Marmoleum

Index: 23.08.2022

Vivace - Real - Fresco	OTTOSEAL® S 51	
3891 sage	C1008	pastel green
5803 weather sand	C79	stone grey
Walton	OTTOSEAL® S 51	
123 black	C04	black
171 cement	C1662	pearl-grey
173 paving	C67	anthracite
3352 Berlin red	C1063	brown-red
3353 eggplant purple	C49	dark brown
3360 vintage blue	C982	pastel blue
3368 grey iron	C67	anthracite
3369 titanium	C81	thistle-grey
3370 terracotta	C85	doussie, pear tree

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives