

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

### Kiesel

Index: 14.03.2024

| Servoflex F (Universalfuge) | OTTOSEAL® S 100 |                  |
|-----------------------------|-----------------|------------------|
| anthrazit                   | C67             | anthracite       |
| grau                        | C79             | stone grey       |
| mittelgrau                  | C1172           | titan grey       |
| sandgrau                    | C2044           | sand grey 18     |
| Servoperl royal             | OTTOSEAL® S 100 |                  |
| anthrazit                   | C67             | anthracite       |
|                             | C8683           | matt anthracite  |
| balibraun                   | C21             | bali             |
| basalt                      | C56             | concrete grey    |
| camel                       | C10             | bahamabeige      |
|                             | C8685           | matt bahamabeige |
| cocoa                       | C6777           | fango            |
| desert sand                 | C82             | red-beige        |
| hellbraun                   | C15             | middle-brown     |
| jasmin                      | C1107           | vanilla-beige    |
| jura                        | C1106           | beach-beige      |
| kaffee                      | C6776           | volcano sand     |
| manhattan                   | C501            | fair grey no. 21 |
| mittelgrau                  | C1172           | titan grey       |
| mochacino                   | C6778           | silk             |
| pergamon                    | C84             | pergamum         |
|                             | C8684           | matt pergamum    |
| safari sand                 | C6778           | silk             |
| sahara                      | C1169           | melba            |
| samtschwarz                 | C5176           | velvet black     |
| sandgrau                    | C2044           | sand grey 18     |
| shadow                      | C6778           | silk             |
| silbergrau                  | C787            | flash grey       |
| snow                        | C45             | chinchilla       |
| steingrau                   | C2044           | sand grey 18     |
| topas                       | C38             | light-grey       |
| universalgrau               | C2044           | sand grey 18     |
| weiß                        | C116            | snow-white       |

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

### Kiesel

Index: 14.03.2024

| Servoperl royal schnell | OTTOSEAL® S 100 |                  |
|-------------------------|-----------------|------------------|
| anthrazit               | C67             | anthracite       |
| balibraun               | C21             | bali             |
| basalt                  | C56             | concrete grey    |
| jura                    | C1106           | beach-beige      |
| manhattan               | C501            | fair grey no. 21 |
| mittelgrau              | C1172           | titan grey       |
| pergamon                | C84             | pergamum         |
| sahara                  | C1169           | melba            |
| samtschwarz             | C5176           | velvet black     |
| silbergrau              | C787            | flash grey       |
| steingrau               | C2044           | sand grey 18     |
| weiß                    | C116            | snow-white       |

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



**Sealants • Adhesives**

## Colour recommendations

### OTTOSEAL® S 105

The standard acetate silicone

### Kiesel

Index: 14.03.2024

| Servoflex F (Universalfuge) | OTTOSEAL® S 105 |                  |
|-----------------------------|-----------------|------------------|
| anthrazit                   | C67             | anthracite       |
| grau                        | C79             | stone grey       |
| mittelgrau                  | C1105           | basalt           |
| sandgrau                    | C2044           | sand grey 18     |
| Servoperl royal             | OTTOSEAL® S 105 |                  |
| anthrazit                   | C67             | anthracite       |
| basalt                      | C56             | concrete grey    |
| camel                       | C10             | bahamabeige      |
| manhattan                   | C501            | fair grey no. 21 |
| mittelgrau                  | C1105           | basalt           |
| pergamon                    | C84             | pergamum         |
| sandgrau                    | C2044           | sand grey 18     |
| silbergrau                  | C787            | flash grey       |
| snow                        | C71             | joint-grey       |
| topas                       | C656            | light-grey       |
| universalgrau               | C2044           | sand grey 18     |
| weiß                        | C116            | snow-white       |
| Servoperl royal schnell     | OTTOSEAL® S 105 |                  |
| anthrazit                   | C67             | anthracite       |
| basalt                      | C56             | concrete grey    |
| jura                        | C1106           | beach-beige      |
| manhattan                   | C501            | fair grey no. 21 |
| mittelgrau                  | C1105           | basalt           |
| pergamon                    | C84             | pergamum         |
| silbergrau                  | C787            | flash grey       |
| steingrau                   | C2044           | sand grey 18     |
| weiß                        | C116            | snow-white       |

## Colour recommendations

### OTTOSEAL® S 125

The low-odour floor and sanitary silicone

### Kiesel

Index: 14.03.2024

| Servoflex F (Universalfuge) | OTTOSEAL® S 125 |                      |
|-----------------------------|-----------------|----------------------|
| anthrazit                   | C6831           | matt anthracite grey |
| grau                        | C8337           | stone grey           |
| mittelgrau                  | C6874           | matt manhattan       |
| Servoperl royal             | OTTOSEAL® S 125 |                      |
| anthrazit                   | C6831           | matt anthracite grey |
| balibraun                   | C05             | brown                |
| basalt                      | C6216           | concrete grey        |
| jasmin                      | C112            | fair jasmin          |
| manhattan                   | C43             | manhattan            |
| mittelgrau                  | C6874           | matt manhattan       |
| sahara                      | C64             | fair oak             |
| samtschwarz                 | C7112           | matt black           |
| silbergrau                  | C7047           | RAL 7047             |
| snow                        | C433            | linsey grey          |
| universalgrau               | C18             | sanitary grey        |
| weiß                        | C116            | snow-white           |
| Servoperl royal schnell     | OTTOSEAL® S 125 |                      |
| anthrazit                   | C6831           | matt anthracite grey |
| balibraun                   | C05             | brown                |
| basalt                      | C6831           | matt anthracite grey |
| manhattan                   | C43             | manhattan            |
| mittelgrau                  | C6874           | matt manhattan       |
| sahara                      | C64             | fair oak             |
| samtschwarz                 | C7112           | matt black           |
| silbergrau                  | C7047           | RAL 7047             |
| weiß                        | C116            | snow-white           |

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 70

The premium natural stone silicone

### Kiesel

Index: 14.03.2024

| Servoflex F (Universalfuge) | OTTOSEAL® S 70 |                 |
|-----------------------------|----------------|-----------------|
| anthrazit                   | C137           | anthracite grey |
| Servoperl royal             | OTTOSEAL® S 70 |                 |
| anthrazit                   | C137           | anthracite grey |
| balibraun                   | C05            | brown           |
| basalt                      | C56            | concrete grey   |
| camel                       | C10            | bahamabeige     |
| desert sand                 | C82            | red-beige       |
| jasmin                      | C08            | jasmin          |
| jura                        | C1110          | sandstone-beige |
| manhattan                   | C43            | manhattan       |
| mochacino                   | C10            | bahamabeige     |
| pergamon                    | C84            | pergamum        |
| safari sand                 | C10            | bahamabeige     |
| samtschwarz                 | C67            | anthracite      |
| silbergrau                  | C787           | flash grey      |
| snow                        | C80            | pearl-grey      |
| universalgrau               | C18            | sanitary grey   |
| Servoperl royal schnell     | OTTOSEAL® S 70 |                 |
| anthrazit                   | C137           | anthracite grey |
| balibraun                   | C05            | brown           |
| basalt                      | C56            | concrete grey   |
| jura                        | C1110          | sandstone-beige |
| manhattan                   | C43            | manhattan       |
| pergamon                    | C84            | pergamum        |
| samtschwarz                 | C67            | anthracite      |
| silbergrau                  | C787           | flash grey      |

## Colour recommendations

### OTTOSEAL® S 80

The premium alkoxy natural stone silicone

### Kiesel

Index: 14.03.2024

| Servoflex F (Universalfuge) | OTTOSEAL® S 80 |                           |
|-----------------------------|----------------|---------------------------|
| anthrazit                   | C137           | anthracite grey           |
| Servoperl royal             | OTTOSEAL® S 80 |                           |
| anthrazit                   | C137           | anthracite grey           |
|                             | C6116          | matt anthracite grey      |
| basalt                      | C8654          | matt sanded concrete grey |
| camel                       | C10            | bahamabeige               |
|                             | C6115          | matt bahamabeige          |
| jasmin                      | C6117          | matt jasmin               |
|                             | C8652          | matt sanded jasmin        |
| mochacino                   | C10            | bahamabeige               |
|                             | C6115          | matt bahamabeige          |
| safari sand                 | C10            | bahamabeige               |
|                             | C6115          | matt bahamabeige          |
| samtschwarz                 | C67            | anthracite                |
|                             | C1300          | matt anthracite           |
| Servoperl royal schnell     | OTTOSEAL® S 80 |                           |
| anthrazit                   | C137           | anthracite grey           |
| basalt                      | C8654          | matt sanded concrete grey |
| samtschwarz                 | C67            | anthracite                |

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



**Sealants • Adhesives**