

Colour recommendations

OTTOCOLL® M 500

The water-resistant premium hybrid adhesive/sealant

oxiegen

Index: 22.03.2023

Ox - Feinfuge	OTTOCOLL® M 500
grau	C02 grey
weiß	C01 white

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

oxiegen

Index: 22.03.2023

Ox - Feinfuge	OTTOSEAL® S 100
anthrazit	C67 anthracite
bahama	C1106 beach-beige
grau	C2044 sand grey 18
manhattan	C70 grey-white
silbergrau	C787 flash grey
weiß	C01 white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 105

The standard acetate silicone

oxiegen

Index: 22.03.2023

Ox - Feinfuge	OTTOSEAL® S 105	
anthrazit	C67	anthracite
bahama	C1106	beach-beige
grau	C2044	sand grey 18
silbergrau	C787	flash grey
weiß	C01	white

Colour recommendations

OTTOSEAL® S 125

The low-odour floor and sanitary silicone

oxiegen

Index: 22.03.2023

Ox - Feinfuge	OTTOSEAL® S 125	
anthrazit	C137	anthracite grey
grau	C18	sanitary grey
silbergrau	C7047	RAL 7047
weiß	C01	white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

oxiegen

Index: 22.03.2023

Ox - Feinfuge	OTTOSEAL® S 130
grau	C18 sanitary grey

Colour recommendations

OTTOSEAL® S 140

The hotel and spa silicone with double protection against mould

oxiegen

Index: 22.03.2023

Ox - Feinfuge	OTTOSEAL® S 140
grau	C18 sanitary grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

oxiegen

Index: 22.03.2023

Ox - Feinfuge	OTTOSEAL® S 70
anthrazit	C137 anthracite grey
bahama	C1110 sandstone-beige
grau	C18 sanitary grey
silbergrau	C787 flash grey
weiß	C01 white

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

oxiegen

Index: 22.03.2023

Ox - Feinfuge	OTTOSEAL® S 80
anthrazit	C137 anthracite grey
grau	C18 sanitary grey
weiß	C01 white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives