

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Parexlanko

Index: 01.07.2022

542 PROLIJOINT SOL	OTTOSEAL® S 100
Gris	C18 sanitary grey
Gris foncé	C43 manhattan
548 PROLIPOX S	OTTOSEAL® S 100
Gris	C18 sanitary grey
Joints CLASSIQUES Mur 543 PROLIJOINT MUR	OTTOSEAL® S 100
Blanc email	C116 snow-white
Gris	C961 morning-grey
Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT	OTTOSEAL® S 100
Beige	C08 jasmin
Gris	C43 manhattan
Joints DECO Mur&Sol 5046 ELIT	OTTOSEAL® S 100
Beige	C08 jasmin
Blanc email	C116 snow-white
Bleu	C42 sorrentoblue
Gris	C02 grey
Gris anthracite	C67 anthracite
Gris perle	C81 thistle-grey
Noir	C04 black
Rose	C23 magnolia
Joints Extérieurs 547 PROLIJOINT RUSTIC	OTTOSEAL® S 100
Beige	C10 bahamabeige
Pierre	C69 joint white
Rose	C23 magnolia
Joints Résistant 550 PROLIJOINT RESIST	OTTOSEAL® S 100
Gris	C56 concrete grey
Joints Souples 545 PROLIJOINT SOUPLE	OTTOSEAL® S 100
Blanc	C116 snow-white
Gris	C56 concrete grey
Joints TECHNIQUES 549 PROLIPOX M-S	OTTOSEAL® S 100
Beige	C55 natural
Blanc	C1170 old grey
Gris	C02 grey
Gris perle	C81 thistle-grey
Noir	C04 black

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.

Colour recommendations

OTTOSEAL® S 130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

Parexlanko

Index: 01.07.2022

542 PROLIJOINT SOL	OTTOSEAL® S 130
Gris	C18 sanitary grey
548 PROLIPOX S	OTTOSEAL® S 130
Gris	C18 sanitary grey
Joints CLASSIQUES Mur 543 PROLIJOINT MUR	OTTOSEAL® S 130
Blanc email	C116 snow-white
Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT	OTTOSEAL® S 130
Beige	C08 jasmin
Gris	C43 manhattan
Joints DECO Mur&Sol 5046 ELIT	OTTOSEAL® S 130
Beige	C08 jasmin
Blanc email	C116 snow-white
Noir	C67 anthracite
Joints Résistant 550 PROLIJOINT RESIST	OTTOSEAL® S 130
Gris	C56 concrete grey
Joints Souples 545 PROLIJOINT SOUPLE	OTTOSEAL® S 130
Blanc	C116 snow-white
Gris	C56 concrete grey
Joints TECHNIQUES 549 PROLIPOX M-S	OTTOSEAL® S 130
Noir	C67 anthracite



SEALING & BONDING

Colour recommendations

OTTOSEAL® S 140

The hotel and spa silicone with double protection against mould

Parexlanko

Index: 01.07.2022

542 PROLIJOINT SOL	OTTOSEAL® S 140
Gris clair	C43 manhattan
548 PROLIPOX S	OTTOSEAL® S 140
Gris	C18 sanitary grey
Joints CLASSIQUES Mur 543 PROLIJOINT MUR	OTTOSEAL® S 140
Blanc email	C116 snow-white
Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT	OTTOSEAL® S 140
Gris clair	C43 manhattan
Joints DECO Mur&Sol 5046 ELIT	OTTOSEAL® S 140
Blanc email	C116 snow-white
Gris perle	C43 manhattan
Noir	C67 anthracite
Joints Souples 545 PROLIJOINT SOUPLE	OTTOSEAL® S 140
Blanc	C116 snow-white
Joints TECHNIQUES 549 PROLIPOX M-S	OTTOSEAL® S 140
Gris	C02 grey
Gris perle	C43 manhattan
Noir	C67 anthracite

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Parexlanko

Index: 01.07.2022

542 PROLIJOINT SOL	OTTOSEAL® S 70
Beige	C84 pergamum
Gris	C6111 matt sanitary grey
Gris clair	C43 manhattan
548 PROLIPOX S	OTTOSEAL® S 70
Gris	C18 sanitary grey
Joints CLASSIQUES Mur 543 PROLIJOINT MUR	OTTOSEAL® S 70
Blanc email	C01 white
Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT	OTTOSEAL® S 70
Beige	C08 jasmin
Gris clair	C43 manhattan
Joints DECO Mur&Sol 5046 ELIT	OTTOSEAL® S 70
Beige	C08 jasmin
Blanc email	C01 white
Effet paillette argent	C1391 graphite black
Gris	C1109 night-grey
Gris anthracite	C137 anthracite grey
Gris perle	C43 manhattan
Noir	C67 anthracite
Joints Extérieurs 547 PROLIJOINT RUSTIC	OTTOSEAL® S 70
Gris	C110 joint-grey structure
Joints Résistant 550 PROLIJOINT RESIST	OTTOSEAL® S 70
Gris	C56 concrete grey
Joints Souples 545 PROLIJOINT SOUPLE	OTTOSEAL® S 70
Gris	C56 concrete grey
Joints TECHNIQUES 549 PROLIPOX M-S	OTTOSEAL® S 70
Beige	C1110 sandstone-beige
Blanc	C38 light-grey
Gris	C1109 night-grey
Gris perle	C43 manhattan
Noir	C67 anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Parexlanko

Index: 01.07.2022

542 PROLIJOINT SOL	OTTOSEAL® S 80
Beige	C84 pergamum
Gris clair	C43 manhattan
548 PROLIPOX S	OTTOSEAL® S 80
Gris	C18 sanitary grey
Joints CLASSIQUES Mur 543 PROLIJOINT MUR	OTTOSEAL® S 80
Blanc email	C01 white
Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT	OTTOSEAL® S 80
Beige	C08 jasmin
Gris clair	C43 manhattan
Joints DECO Mur&Sol 5046 ELIT	OTTOSEAL® S 80
Beige	C08 jasmin
Blanc email	C01 white
Gris anthracite	C137 anthracite grey
Gris perle	C43 manhattan
Noir	C67 anthracite
Joints Résistant 550 PROLIJOINT RESIST	OTTOSEAL® S 80
Gris	C56 concrete grey
Joints Souples 545 PROLIJOINT SOUPLE	OTTOSEAL® S 80
Gris	C56 concrete grey
Joints TECHNIQUES 549 PROLIPOX M-S	OTTOSEAL® S 80
Beige	C1110 sandstone-beige
Blanc	C38 light-grey
Gris	C1109 night-grey
Gris perle	C43 manhattan
Noir	C67 anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives