

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

### Parexlanko

Index: 20.01.2023

542 PROLIJOINT SOL	OTTOSEAL® S 100	
Gris	C18	sanitary grey
	C8681	matt sanitary grey
Gris foncé	C43	manhattan
	C8679	matt manhattan
548 PROLIPOX S	OTTOSEAL® S 100	
Gris	C18	sanitary grey
	C8681	matt sanitary grey
Joints CLASSIQUES Mur 543 PROLIJOINT MUR	OTTOSEAL® S 100	
Blanc email	C116	snow-white
Gris	C961	morning-grey
Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT	OTTOSEAL® S 100	
Beige	C08	jasmin
Gris	C43	manhattan
	C8679	matt manhattan
Joints DECO Mur&Sol 5046 ELIT	OTTOSEAL® S 100	
Beige	C08	jasmin
Blanc email	C116	snow-white
Bleu	C42	sorrentoblue
Gris	C02	grey
	C8680	matt grey
Gris anthracite	C67	anthracite
	C8683	matt anthracite
Gris perle	C81	thistle-grey
Noir	C04	black
Joints Extérieurs 547 PROLIJOINT RUSTIC	OTTOSEAL® S 100	
Beige	C10	bahamabeige
	C8685	matt bahamabeige
Pierre	C69	joint white
Joints Résistant 550 PROLIJOINT RESIST	OTTOSEAL® S 100	
Gris	C56	concrete grey
Joints Souples 545 PROLIJOINT SOUPLE	OTTOSEAL® S 100	
Blanc	C116	snow-white
Gris	C56	concrete grey

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

### Parexlanko

Index: 20.01.2023

Joints TECHNIQUES 549 PROLIPOX M-S	OTTOSEAL® S 100	
Beige	C55	natural
Blanc	C1170	old grey
Gris	C02	grey
	C8680	matt grey
Gris perle	C81	thistle-grey
Noir	C04	black

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

### Parexlanko

Index: 20.01.2023

<b>542 PROLIJOINT SOL</b>	<b>OTTOSEAL® S 130</b>
Gris	C18 sanitary grey
<b>548 PROLIPOX S</b>	<b>OTTOSEAL® S 130</b>
Gris	C18 sanitary grey
<b>Joints CLASSIQUES Mur 543 PROLIJOINT MUR</b>	<b>OTTOSEAL® S 130</b>
Blanc email	C116 snow-white
<b>Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT</b>	<b>OTTOSEAL® S 130</b>
Beige	C08 jasmin
Gris	C43 manhattan
<b>Joints DECO Mur&amp;Sol 5046 ELIT</b>	<b>OTTOSEAL® S 130</b>
Beige	C08 jasmin
Blanc email	C116 snow-white
Noir	C67 anthracite
<b>Joints Résistant 550 PROLIJOINT RESIST</b>	<b>OTTOSEAL® S 130</b>
Gris	C56 concrete grey
<b>Joints Souples 545 PROLIJOINT SOUPLE</b>	<b>OTTOSEAL® S 130</b>
Blanc	C116 snow-white
Gris	C56 concrete grey
<b>Joints TECHNIQUES 549 PROLIPOX M-S</b>	<b>OTTOSEAL® S 130</b>
Noir	C67 anthracite

## Colour recommendations

### OTTOSEAL® S 140

The hotel and spa silicone with double protection against mould

### Parexlanko

Index: 20.01.2023

<b>542 PROLIJOINT SOL</b>	<b>OTTOSEAL® S 140</b>
Gris clair	C43 manhattan
<b>548 PROLIPOX S</b>	<b>OTTOSEAL® S 140</b>
Gris	C18 sanitary grey
<b>Joints CLASSIQUES Mur 543 PROLIJOINT MUR</b>	<b>OTTOSEAL® S 140</b>
Blanc email	C116 snow-white
<b>Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT</b>	<b>OTTOSEAL® S 140</b>
Gris clair	C43 manhattan
<b>Joints DECO Mur&amp;Sol 5046 ELIT</b>	<b>OTTOSEAL® S 140</b>
Blanc email	C116 snow-white
Gris perle	C43 manhattan
Noir	C67 anthracite
<b>Joints Souples 545 PROLIJOINT SOUPLE</b>	<b>OTTOSEAL® S 140</b>
Blanc	C116 snow-white
<b>Joints TECHNIQUES 549 PROLIPOX M-S</b>	<b>OTTOSEAL® S 140</b>
Gris	C02 grey
Gris perle	C43 manhattan
Noir	C67 anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



**Sealants • Adhesives**

## Colour recommendations

### OTTOSEAL® S 70

The premium natural stone silicone

### Parexlanko

Index: 20.01.2023

<b>542 PROLIJOINT SOL</b>	<b>OTTOSEAL® S 70</b>
Beige	C84 pergamum
Gris	C6111 matt sanitary grey
Gris clair	C43 manhattan
<b>548 PROLIPOX S</b>	<b>OTTOSEAL® S 70</b>
Gris	C18 sanitary grey
<b>Joints CLASSIQUES Mur 543 PROLIJOINT MUR</b>	<b>OTTOSEAL® S 70</b>
Blanc email	C01 white
<b>Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT</b>	<b>OTTOSEAL® S 70</b>
Beige	C08 jasmin
Gris clair	C43 manhattan
<b>Joints DECO Mur&amp;Sol 5046 ELIT</b>	<b>OTTOSEAL® S 70</b>
Beige	C08 jasmin
Blanc email	C01 white
Effet paillette argent	C1391 graphite black
Gris	C1109 night-grey
Gris anthracite	C137 anthracite grey
Gris perle	C43 manhattan
Noir	C67 anthracite
<b>Joints Extérieurs 547 PROLIJOINT RUSTIC</b>	<b>OTTOSEAL® S 70</b>
Gris	C110 joint-grey structure
<b>Joints Résistant 550 PROLIJOINT RESIST</b>	<b>OTTOSEAL® S 70</b>
Gris	C56 concrete grey
<b>Joints Souples 545 PROLIJOINT SOUPLE</b>	<b>OTTOSEAL® S 70</b>
Gris	C56 concrete grey
<b>Joints TECHNIQUES 549 PROLIPOX M-S</b>	<b>OTTOSEAL® S 70</b>
Beige	C1110 sandstone-beige
Blanc	C38 light-grey
Gris	C1109 night-grey
Gris perle	C43 manhattan
Noir	C67 anthracite

## Colour recommendations

### OTTOSEAL® S 80

The premium alkoxy natural stone silicone

### Parexlanko

Index: 20.01.2023

<b>542 PROLIJOINT SOL</b>	<b>OTTOSEAL® S 80</b>
Beige	C84 pergamum
Gris clair	C43 manhattan
	C1282 matt manhattan
<b>548 PROLIPOX S</b>	<b>OTTOSEAL® S 80</b>
Gris	C18 sanitary grey
	C6111 matt sanitary grey
	C8650 matt sanded sanitary grey
<b>Joints CLASSIQUES Mur 543 PROLIJOINT MUR</b>	<b>OTTOSEAL® S 80</b>
Blanc email	C01 white
	C6112 matt white
<b>Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT</b>	<b>OTTOSEAL® S 80</b>
Beige	C6117 matt jasmin
	C8652 matt sanded jasmin
Gris clair	C43 manhattan
	C1282 matt manhattan
<b>Joints DECO Mur&amp;Sol 5046 ELIT</b>	<b>OTTOSEAL® S 80</b>
Beige	C6117 matt jasmin
	C8652 matt sanded jasmin
Blanc email	C01 white
	C6112 matt white
Gris anthracite	C137 anthracite grey
	C6116 matt anthracite grey
Gris perle	C43 manhattan
	C1282 matt manhattan
Noir	C67 anthracite
	C1300 matt anthracite
<b>Joints Résistant 550 PROLIJOINT RESIST</b>	<b>OTTOSEAL® S 80</b>
Gris	C8654 matt sanded concrete grey
<b>Joints Souples 545 PROLIJOINT SOUPLE</b>	<b>OTTOSEAL® S 80</b>
Gris	C8654 matt sanded concrete grey
<b>Joints TECHNIQUES 549 PROLIPOX M-S</b>	<b>OTTOSEAL® S 80</b>
Beige	C1110 sandstone-beige
Blanc	C38 light-grey
Gris	C1109 night-grey
Gris perle	C43 manhattan
	C1282 matt manhattan
Noir	C67 anthracite
	C1300 matt anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives