

Colour recommendations

OTTOSEAL® M 390

The floor sealant

PCI

Index: 28.05.2024

Durapox Premium	OTTOSEAL® M 390	
Nr. 02 Bahamabeige	C10	bahamabeige
Nr. 03 Caramel	C76	beech
Nr. 19 Basalt	C56	concrete grey
Nr. 41 Dunkelbraun	C49	dark brown
Nanofug	OTTOSEAL® M 390	
Nr. 19 basalt	C2260	basalt
Nr. 20 weiß	C01	white
Nanofug Premium	OTTOSEAL® M 390	
Nr. 02 bahamabeige	C10	bahamabeige
Nr. 19 basalt	C2260	basalt
Nr. 20 weiß	C01	white
Nr. 56 terrabraun	C98	rustic oak
Nr. 57 rehbraun	C17	cherry

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

PCI

Index: 28.05.2024

Durafug NT	OTTOSEAL® S 100	
Nr. 16 silbergrau	C230	fog
Nr. 20 weiß	C01	white
	C8687	matt white
Nr. 22 sandgrau	C18	sanitary grey
	C8681	matt sanitary grey
Nr. 31 zementgrau	C706	cement-grey no. 31
	C8682	matt cement-grey 31
Durapox Premium	OTTOSEAL® S 100	
Nr. 01 Brillantweiß	C116	snow-white
Nr. 02 Bahamabeige	C10	bahamabeige
	C8685	matt bahamabeige
Nr. 03 Caramel	C09	caramel
	C8686	matt caramel
Nr. 05 Mittelbraun	C1104	almond-brown
Nr. 11 Jasmin	C08	jasmin
Nr. 16 Silbergrau	C910	silver-grey 17
Nr. 19 Basalt	C1105	basalt
Nr. 21 Hellgrau	C38	light-grey
Nr. 22 Sandgrau	C2044	sand grey 18
Nr. 23 Lichtgrau	C38	light-grey
Nr. 31 Zementgrau	C706	cement-grey no. 31
	C8682	matt cement-grey 31
Nr. 40 Schwarz	C04	black
Nr. 41 Dunkelbraun	C05	brown
Nr. 43 Pergamon	C84	pergamum
	C8684	matt pergamum
Nr. 47 Anthrazit	C67	anthracite
	C8683	matt anthracite
Nr. 55 Nussbraun	C6778	silk
Nr. 57 Rehbraun	C1167	tobacco brown
FT Fugenbreit	OTTOSEAL® S 100	
Nr. 21 hellgrau	C501	fair grey no. 21
Nr. 31 zementgrau	C706	cement-grey no. 31
	C8682	matt cement-grey 31
Nr. 47 anthrazit	C67	anthracite
	C8683	matt anthracite
FT Fugengrau	OTTOSEAL® S 100	
Nr. 16 silbergrau	C230	fog
Nr. 21 hellgrau	C501	fair grey no. 21
Nr. 23 lichtgrau	C45	chinchilla

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

PCI

Index: 28.05.2024

FT Fugenweiß	OTTOSEAL® S 100	
Nr. 20 weiß	C01	white
	C8687	matt white
FT Megafug	OTTOSEAL® S 100	
Nr. 16 silbergrau	C230	fog
Nr. 19 basalt	C1170	old grey
Nr. 21 hellgrau	C501	fair grey no. 21
Nr. 22 sandgrau	C18	sanitary grey
	C8681	matt sanitary grey
Nr. 31 zementgrau	C706	cement-grey no. 31
	C8682	matt cement-grey 31
Flexfug	OTTOSEAL® S 100	
Nr. 18 manhattan	C230	fog
Nr. 19 basalt	C1170	old grey
Nr. 22 sandgrau	C18	sanitary grey
	C8681	matt sanitary grey
Nanofug	OTTOSEAL® S 100	
Nr. 02 bahamabeige	C1106	beach-beige
Nr. 03 caramel	C22	anemone
Nr. 05 mittelbraun	C1104	almond-brown
Nr. 11 jasmin	C1107	vanilla-beige
Nr. 12 anemone	C1106	beach-beige
Nr. 16 silbergrau	C910	silver-grey 17
Nr. 18 manhattan	C910	silver-grey 17
Nr. 19 basalt	C1105	basalt
Nr. 20 weiß	C116	snow-white
Nr. 21 hellgrau	C70	grey-white
Nr. 23 lichtgrau	C94	silver-grey
	C8678	matt silver-grey
Nr. 31 zementgrau	C706	cement-grey no. 31
Nr. 40 schwarz	C04	black
Nr. 43 pergamon	C84	pergamum
	C8684	matt pergamum
Nr. 44 topas	C71	joint-grey
Nr. 47 anthrazit	C67	anthracite
	C8683	matt anthracite

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

PCI

Index: 28.05.2024

Nanofug Premium	OTTOSEAL® S 100	
Nr. 02 bahamabeige	C1106	beach-beige
Nr. 03 caramel	C22	anemone
Nr. 05 mittelbraun	C1104	almond-brown
Nr. 11 jasmin	C1107	vanilla-beige
Nr. 12 anemone	C1106	beach-beige
Nr. 16 silbergrau	C910	silver-grey 17
Nr. 18 manhattan	C910	silver-grey 17
Nr. 19 basalt	C1105	basalt
Nr. 20 weiß	C116	snow-white
Nr. 21 hellgrau	C70	grey-white
Nr. 22 sandgrau	C2044	sand grey 18
Nr. 23 lichtgrau	C94	silver-grey
	C8678	matt silver-grey
Nr. 25 Carrarweiß	C116	snow-white
Nr. 26 Perlgrau	C230	fog
Nr. 27 jurabeige	C1106	beach-beige
Nr. 31 zementgrau	C706	cement-grey no. 31
Nr. 40 schwarz	C04	black
Nr. 41 dunkelbraun	C21	bali
Nr. 43 pergamon	C84	pergamum
	C8684	matt pergamum
Nr. 44 topas	C71	joint-grey
Nr. 47 anthrazit	C67	anthracite
	C8683	matt anthracite
Nr. 53 ocker	C22	anemone
Nr. 54 ahorn	C10	bahamabeige
	C8685	matt bahamabeige
Nr. 55 nussbraun	C6778	silk
Nr. 56 terrabraun	C60	umbra
Nr. 57 rehbraun	C1167	tobacco brown
Nr. 58 mahagoni	C6777	fango
Nr. 59 mokka	C1104	almond-brown
Nr. 60 schwarzbraun	C6776	volcano sand
Nr. 61 schiefergrau	C5176	velvet black

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 105

The bathroom silicone

PCI

Index: 28.05.2024

Durafug NT	OTTOSEAL® S 105	
Nr. 16 silbergrau	C230	fog
Nr. 20 weiß	C01	white
Nr. 22 sandgrau	C18	sanitary grey
Nr. 31 zementgrau	C706	cement-grey no. 31
Durapox Premium	OTTOSEAL® S 105	
Nr. 01 Brillantweiß	C116	snow-white
Nr. 02 Bahamabeige	C10	bahamabeige
Nr. 03 Caramel	C09	caramel
Nr. 11 Jasmin	C08	jasmin
Nr. 16 Silbergrau	C910	silver-grey 17
Nr. 19 Basalt	C1105	basalt
Nr. 21 Hellgrau	C656	light-grey
Nr. 22 Sandgrau	C2044	sand grey 18
Nr. 23 Lichtgrau	C656	light-grey
Nr. 31 Zementgrau	C706	cement-grey no. 31
Nr. 40 Schwarz	C04	black
Nr. 41 Dunkelbraun	C05	brown
Nr. 43 Pergamon	C84	pergamum
Nr. 47 Anthrazit	C67	anthracite
FT Fugenbreit	OTTOSEAL® S 105	
Nr. 21 hellgrau	C501	fair grey no. 21
Nr. 31 zementgrau	C706	cement-grey no. 31
Nr. 47 anthrazit	C67	anthracite
FT Fugengrau	OTTOSEAL® S 105	
Nr. 16 silbergrau	C230	fog
Nr. 21 hellgrau	C501	fair grey no. 21
FT Fugenweiß	OTTOSEAL® S 105	
Nr. 20 weiß	C01	white
FT Megafug	OTTOSEAL® S 105	
Nr. 16 silbergrau	C230	fog
Nr. 21 hellgrau	C501	fair grey no. 21
Nr. 22 sandgrau	C18	sanitary grey
Nr. 31 zementgrau	C706	cement-grey no. 31
Flexfug	OTTOSEAL® S 105	
Nr. 18 manhattan	C230	fog
Nr. 22 sandgrau	C18	sanitary grey

Colour recommendations

OTTOSEAL® S 105

The bathroom silicone

PCI

Index: 28.05.2024

Nanofug	OTTOSEAL® S 105	
Nr. 02 bahamabeige	C1106	beach-beige
Nr. 11 jasmin	C08	jasmin
Nr. 12 anemone	C1106	beach-beige
Nr. 16 silbergrau	C910	silver-grey 17
Nr. 18 manhattan	C910	silver-grey 17
Nr. 19 basalt	C1105	basalt
Nr. 20 weiß	C116	snow-white
Nr. 21 hellgrau	C70	grey-white
Nr. 23 lichtgrau	C94	silver-grey
Nr. 31 zementgrau	C706	cement-grey no. 31
Nr. 40 schwarz	C04	black
Nr. 43 pergamon	C84	pergamum
Nr. 44 topas	C71	joint-grey
Nr. 47 anthrazit	C67	anthracite
Nanofug Premium	OTTOSEAL® S 105	
Nr. 02 bahamabeige	C1106	beach-beige
Nr. 11 jasmin	C08	jasmin
Nr. 12 anemone	C1106	beach-beige
Nr. 16 silbergrau	C910	silver-grey 17
Nr. 18 manhattan	C910	silver-grey 17
Nr. 19 basalt	C1105	basalt
Nr. 20 weiß	C01	white
Nr. 21 hellgrau	C70	grey-white
Nr. 22 sandgrau	C2044	sand grey 18
Nr. 23 lichtgrau	C94	silver-grey
Nr. 25 Carrarweiß	C116	snow-white
Nr. 26 Perlgrau	C230	fog
Nr. 27 jurabeige	C1106	beach-beige
Nr. 31 zementgrau	C706	cement-grey no. 31
Nr. 40 schwarz	C04	black
Nr. 43 pergamon	C84	pergamum
Nr. 44 topas	C71	joint-grey
Nr. 47 anthrazit	C67	anthracite
Nr. 54 ahorn	C10	bahamabeige
Nr. 56 terrabraun	C09	caramel
Nr. 61 schiefergrau	C67	anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 125

The low-odour floor and sanitary silicone

PCI

Index: 28.05.2024

Durapox Premium	OTTOSEAL® S 125
Nr. 01 Brillantweiß	C116 snow-white
Nr. 03 Caramel	C7111 matt beech
Nr. 11 Jasmin	C112 fair jasmin
Nr. 16 Silbergrau	C94 silver-grey
Nr. 19 Basalt	C8339 basalt grey
Nr. 40 Schwarz	C04 black
Nr. 41 Dunkelbraun	C05 brown
Nanofug	OTTOSEAL® S 125
Nr. 11 jasmin	C112 fair jasmin
Nr. 12 anemone	C112 fair jasmin
Nr. 16 silbergrau	C94 silver-grey
Nr. 18 manhattan	C94 silver-grey
Nr. 20 weiß	C116 snow-white
Nr. 23 lichtgrau	C94 silver-grey
Nr. 40 schwarz	C04 black
Nr. 43 pergamon	C69 joint white
Nr. 47 anthrazit	C8339 basalt grey
Nanofug Premium	OTTOSEAL® S 125
Nr. 11 jasmin	C112 fair jasmin
Nr. 12 anemone	C112 fair jasmin
Nr. 16 silbergrau	C94 silver-grey
Nr. 18 manhattan	C94 silver-grey
Nr. 20 weiß	C116 snow-white
Nr. 23 lichtgrau	C94 silver-grey
Nr. 25 Carrarweiß	C116 snow-white
Nr. 40 schwarz	C04 black
Nr. 43 pergamon	C69 joint white
Nr. 47 anthrazit	C8339 basalt grey

Colour recommendations

OTTOSEAL® S 130

The environmentally friendly bathroom silicone

PCI

Index: 28.05.2024

Durafug NT	OTTOSEAL® S 130
Nr. 20 weiß	C116 snow-white
Nr. 22 sandgrau	C18 sanitary grey
Durapox Premium	OTTOSEAL® S 130
Nr. 01 Brillantweiß	C116 snow-white
Nr. 02 Bahamabeige	C10 bahamabeige
Nr. 11 Jasmin	C08 jasmin
Nr. 40 Schwarz	C04 black
FT Megafug	OTTOSEAL® S 130
Nr. 22 sandgrau	C18 sanitary grey
Flexfug	OTTOSEAL® S 130
Nr. 22 sandgrau	C18 sanitary grey
Nanofug	OTTOSEAL® S 130
Nr. 11 jasmin	C08 jasmin
Nr. 20 weiß	C116 snow-white
Nr. 40 schwarz	C04 black
Nanofug Premium	OTTOSEAL® S 130
Nr. 11 jasmin	C08 jasmin
Nr. 20 weiß	C116 snow-white
Nr. 25 Carrarweiß	C116 snow-white
Nr. 40 schwarz	C04 black
Nr. 54 ahorn	C10 bahamabeige

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 140

The hotel and spa silicone

PCI

Index: 28.05.2024

Carrafug	OTTOSEAL® S 140
Nr. 22 sandgrau	C18 sanitary grey
Nr. 25 carraraweiß	C116 snow-white
Nr. 47 anthrazit	C67 anthracite
Durafug NT	OTTOSEAL® S 140
Nr. 22 sandgrau	C18 sanitary grey
Durapox Premium	OTTOSEAL® S 140
Nr. 01 Brillantweiß	C116 snow-white
Nanofug	OTTOSEAL® S 140
Nr. 20 weiß	C116 snow-white
Nr. 47 anthrazit	C67 anthracite
Nanofug Premium	OTTOSEAL® S 140
Nr. 20 weiß	C116 snow-white
Nr. 25 Carrarweiß	C116 snow-white
Nr. 47 anthrazit	C67 anthracite

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

PCI

Index: 28.05.2024

Carrafug	OTTOSEAL® S 70
Nr. 22 sandgrau	C18 sanitary grey
Nr. 25 carraraweiß	C01 white
Nr. 26 perlgrau	C80 pearl-grey
Nr. 27 jurabeige	C1110 sandstone-beige
Nr. 47 anthrazit	C137 anthracite grey
Durapox Premium	OTTOSEAL® S 70
Nr. 01 Brillantweiß	C01 white
Nr. 02 Bahamabeige	C10 bahamabeige
Nr. 11 Jasmin	C08 jasmin
Nr. 40 Schwarz	C04 black
Nr. 41 Dunkelbraun	C05 brown
Nr. 43 Pergamon	C84 pergamum
Nr. 47 Anthrazit	C67 anthracite
Nanofug	OTTOSEAL® S 70
Nr. 11 jasmin	C08 jasmin
Nr. 40 schwarz	C04 black
Nr. 43 pergamon	C84 pergamum
Nr. 44 topas	C71 joint-grey
Nr. 47 anthrazit	C67 anthracite
Nanofug Premium	OTTOSEAL® S 70
Nr. 11 jasmin	C08 jasmin
Nr. 26 Perlgrau	C230 fog
Nr. 40 schwarz	C04 black
Nr. 43 pergamon	C84 pergamum
Nr. 44 topas	C71 joint-grey
Nr. 47 anthrazit	C137 anthracite grey
Nr. 54 ahorn	C10 bahamabeige

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

PCI

Index: 28.05.2024

Carrafug	OTTOSEAL® S 80	
Nr. 22 sandgrau	C18	sanitary grey
	C6111	matt sanitary grey
	C8650	matt sanded sanitary grey
Nr. 25 carraraweiß	C01	white
	C6112	matt white
Nr. 27 jurabeige	C1110	sandstone-beige
Nr. 47 anthrazit	C137	anthracite grey
	C6116	matt anthracite grey
Durapox Premium	OTTOSEAL® S 80	
Nr. 40 Schwarz	C6114	matt black
Nanofug	OTTOSEAL® S 80	
Nr. 40 schwarz	C6114	matt black
Nanofug Premium	OTTOSEAL® S 80	
Nr. 11 jasmin	C6117	matt jasmin
	C8652	matt sanded jasmin
Nr. 20 weiß	C01	white
	C6112	matt white
Nr. 23 lichtgrau	C38	light-grey
Nr. 40 schwarz	C6114	matt black
Nr. 44 topas	C38	light-grey
Nr. 47 anthrazit	C137	anthracite grey
	C6116	matt anthracite grey
Nr. 54 ahorn	C10	bahamabeige
	C6115	matt bahamabeige
Nr. 61 schiefergrau	C67	anthracite
	C1300	matt anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives