

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Rywa

Index: 19.03.2024

ETC-Hydro Fuge	OTTOSEAL® S 100
900 weiß	C01 white C8687 matt white
904 vanille	C84 pergamum
915 silbergrau	C787 flash grey
FB Fugenbreit	OTTOSEAL® S 100
906 grau	C79 stone grey
912 manhattan	C501 fair grey no. 21
913 dunkelgrau	C02 grey
925 anthrazit	C808 asphalt grey
950 basaltgrau	C1105 basalt
FFX Flexfuge	OTTOSEAL® S 100
900 weiß	C01 white C8687 matt white
904 vanille	C84 pergamum
912 manhattan	C787 flash grey
914 hellgrau	C86 pale grey
915 silbergrau	C787 flash grey
916 zementgrau	C56 concrete grey
917 betongrau	C776 grey 15
923 bambus	C103 sahara
924 schwarz	C5176 velvet black
925 anthrazit	C808 asphalt grey
928 balibraun	C21 bali
929 birke	C103 sahara
931 ulme	C6778 silk
932 pergamon	C1107 vanilla-beige
935 kastanie	C6777 fango
940 caramel	C82 red-beige
946 jasmin	C1107 vanilla-beige
952 eiche	C09 caramel C8686 matt caramel
960 sandgrau	C961 morning-grey
FS Fugenschmal	OTTOSEAL® S 100
906 grau	C79 stone grey
912 manhattan	C501 fair grey no. 21
913 dunkelgrau	C02 grey
925 anthrazit	C808 asphalt grey
950 basaltgrau	C1172 titan grey

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Rywa

Index: 19.03.2024

PF Perfuge	OTTOSEAL® S 100
900 weiß	C01 white C8687 matt white
904 vanille	C84 pergamum
912 manhattan	C787 flash grey
914 hellgrau/grau	C86 pale grey
915 silbergrau	C787 flash grey
923 bambus	C103 sahara
924 schwarz	C5176 velvet black
925 anthrazit	C808 asphalt grey
929 birke	C103 sahara
931 ulme	C6778 silk
946 jasmin	C1107 vanilla-beige

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 105

The standard acetate silicone

Rywa

Index: 19.03.2024

ETC-Hydro Fuge	OTTOSEAL® S 105
900 weiß	C01 white
904 vanille	C84 pergamum
915 silbergrau	C787 flash grey
FB Fugenbreit	OTTOSEAL® S 105
906 grau	C79 stone grey
912 manhattan	C501 fair grey no. 21
913 dunkelgrau	C02 grey
FFX Flexfuge	OTTOSEAL® S 105
900 weiß	C01 white
904 vanille	C84 pergamum
912 manhattan	C787 flash grey
914 hellgrau	C86 pale grey
915 silbergrau	C787 flash grey
916 zementgrau	C56 concrete grey
917 betongrau	C776 grey 15
952 eiche	C09 caramel
FS Fugenschmal	OTTOSEAL® S 105
906 grau	C79 stone grey
912 manhattan	C501 fair grey no. 21
913 dunkelgrau	C02 grey
PF Perfuge	OTTOSEAL® S 105
900 weiß	C01 white
904 vanille	C84 pergamum
912 manhattan	C787 flash grey
914 hellgrau/grau	C86 pale grey
915 silbergrau	C787 flash grey

Colour recommendations

OTTOSEAL® S 125

The low-odour floor and sanitary silicone

Rywa

Index: 19.03.2024

ETC-Hydro Fuge	OTTOSEAL® S 125
900 weiß	C01 white
904 vanille	C112 fair jasmin
915 silbergrau	C7047 RAL 7047
FB Fugenbreit	OTTOSEAL® S 125
912 manhattan	C7110 matt silk grey
925 anthrazit	C6831 matt anthracite grey
FFX Flexfuge	OTTOSEAL® S 125
900 weiß	C01 white
904 vanille	C112 fair jasmin
912 manhattan	C7047 RAL 7047
914 hellgrau	C94 silver-grey
915 silbergrau	C7047 RAL 7047
917 betongrau	C43 manhattan
925 anthrazit	C8339 basalt grey
FS Fugenschmal	OTTOSEAL® S 125
912 manhattan	C7110 matt silk grey
925 anthrazit	C6831 matt anthracite grey
PF Perfuge	OTTOSEAL® S 125
900 weiß	C01 white
904 vanille	C112 fair jasmin
912 manhattan	C7047 RAL 7047
914 hellgrau/grau	C94 silver-grey
915 silbergrau	C7047 RAL 7047
925 anthrazit	C8339 basalt grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Rywa

Index: 19.03.2024

ETC-Hydro Fuge	OTTOSEAL® S 70
900 weiß	C01 white
904 vanille	C08 jasmin
915 silbergrau	C787 flash grey
FB Fugenbreit	OTTOSEAL® S 70
912 manhattan	C43 manhattan
925 anthrazit	C137 anthracite grey
950 basaltgrau	C1109 night-grey
FFX Flexfuge	OTTOSEAL® S 70
900 weiß	C01 white
904 vanille	C08 jasmin
912 manhattan	C787 flash grey
915 silbergrau	C787 flash grey
924 schwarz	C67 anthracite
FS Fugenschmal	OTTOSEAL® S 70
912 manhattan	C43 manhattan
925 anthrazit	C137 anthracite grey
950 basaltgrau	C1109 night-grey
NF Natursteinfuge	OTTOSEAL® S 70
900 weiß	C01 white
904 vanille	C6117 matt jasmin
914 hellgrau	C1282 matt manhattan
915 silbergrau	C787 flash grey
923 bambus	C84 pergamum
925 anthrazit	C6116 matt anthracite grey
946 jasmin	C6117 matt jasmin

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Rywa

Index: 19.03.2024

ETC-Hydro Fuge	OTTOSEAL® S 80
900 weiß	C01 white
904 vanille	C6117 matt jasmin
FB Fugenbreit	OTTOSEAL® S 80
912 manhattan	C1282 matt manhattan
925 anthrazit	C6116 matt anthracite grey
FFX Flexfuge	OTTOSEAL® S 80
900 weiß	C01 white
904 vanille	C6117 matt jasmin
924 schwarz	C67 anthracite
FS Fugenschmal	OTTOSEAL® S 80
912 manhattan	C1282 matt manhattan
925 anthrazit	C6116 matt anthracite grey
NF Natursteinfuge	OTTOSEAL® S 80
900 weiß	C01 white
904 vanille	C6117 matt jasmin
914 hellgrau	C1282 matt manhattan
925 anthrazit	C6116 matt anthracite grey
946 jasmin	C6117 matt jasmin

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives