OTTOSEAL® M 390

The floor sealant

Saint Gobain Weber - Deitermann

Index: 01.07.2022

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Saint Gobain Weber - Deitermann

C: U1.U7.2U22	Index: 01.07.2022

weber.fug 871	OTTOSE	OTTOSEAL® M 390	
zementgrau	C8180	pebble grey	
weber.fug 872 Fugenmörtel für Bodenbeläge	OTTOSE	OTTOSEAL® M 390	
mittelgrau	C1172	titan grey	
zementgrau	C8180	pebble grey	
weber.fug 875 BlueComfort	OTTOSE	OTTOSEAL® M 390	
havanna braun	C49	dark brown	
mittelgrau	C1172	titan grey	
zementgrau	C8180	pebble grey	
weber.fug 875 F Keramik und Naturstein	OTTOSE	EAL® M 390	
caramel	C64	fair oak	
cottobraun	C1237	dark oak	
havannabraun	C49	dark brown	
mittelgrau	C1172	titan grey	
nussbraun	C98	rustic oak	
zementgrau	C8180	pebble grey	

weber.fug 870 Schmalfuge	OTTOSE	AL® S 100	
bahamabeige	C1106	beach-beige	
dunkelgrau	C67	anthracite	
edelweiß	C01	white	
hellgrau	C71	joint-grey	
manhattan	C230	fog	
mittelgrau	C1105	basalt	
pergamon/jasmin	C69	joint white	
silbergrau	C787	flash grey	
weber.fug 871	OTTOSE	AL® S 100	
zementgrau	C79	stone grey	
weber.fug 872 F Schnellfuge	OTTOSE	OTTOSEAL® S 100	
mittelgrau	C1168	fair-graphite	
weber.fug 872 Fugenmörtel für Bodenbeläge	OTTOSE	OTTOSEAL® S 100	
mittelgrau	C1105	basalt	
zementgrau	C79	stone grey	
weber.fug 873 Hochfeste Fuge	OTTOSE	AL® S 100	
mittelgrau	C52	platinum grey	
weber.fug 875 BlueComfort	OTTOSE	AL® S 100	
anthrazit	C67	anthracite	
bahamabeige	C1106	beach-beige	
dunkelgrau	C67	anthracite	
havanna braun	C6776	volcano sand	
hellgrau	C71	joint-grey	
manhattan	C230	fog	
mittelgrau	C1105	basalt	
pergamon	C1107	vanilla-beige	
pergamon/jasmin	C69	joint white	
schwarz	C5176	velvet black	
silbergrau	C787	flash grey	
weiß	C116	snow-white	
zementgrau	C79	stone grey	

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants. The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



OTTOSEAL® S 100

The premium bathroom silicone

Saint Gobain Weber -Deitermann

Index: 01.07.2022

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Saint Gobain Weber -**Deitermann**

Index: 01.07.2022

weber.fug 875 F Keramik und Naturstein	OTTOSEAL® S 100	
bahamabeige	C1106	beach-beige
cottobraun	C15	middle-brown
dunkelgrau	C67	anthracite
edelweiß	C01	white
elfenbein	C1107	vanilla-beige
havannabraun	C6776	volcano sand
hellgrau	C71	joint-grey
manhattan	C230	fog
mittelgrau	C1105	basalt
nussbraun	C1167	tobacco brown
pergamon/jasmin	C69	joint white
schwarz	C5176	velvet black
silbergrau	C787	flash grey
zementgrau	C79	stone grey
weber.fug 877	OTTOSEAL® S 100	
anthrazit	C67	anthracite
mittelgrau	C1105	basalt
silbergrau	C787	flash grey
zementgrau	C56	concrete grey
weber.fug 880	OTTOSEAL® S 100	
anthrazit	C67	anthracite
bahambeige	C1106	beach-beige
edelweiß	C01	white
elfenbein	C1107	vanilla-beige
havannabraun	C6776	volcano sand
hellgrau	C71	joint-grey
manahattan	C230	fog
mittelgrau	C1105	basalt
pergamon/jasmin	C69	joint white
schwarz	C5176	velvet black
silbergrau	C787	flash grey
transparent	C00	transparent
weiß	C116	snow-white
zementgrau	C79	stone grey

weber.fug 881	OTTOSEA	AL® S 100
anthrazit	C67	anthracite
edelweiß	C01	white
elfenbein	C1107	vanilla-beige
hellgrau	C71	joint-grey
manhattan	C230	fog
mittelgrau	C1105	basalt
pergamon/jasmin	C69	joint white
silbergrau	C787	flash grey
transparent	C00	transparent
zementgrau	C79	stone grey
weber.fug 883	OTTOSEAL® S 100	
anthrazit	C67	anthracite
bahamabeige	C1106	beach-beige
cottobraun	C15	middle-brown
dunkelgau	C67	anthracite
edelweiß	C01	white
elfenbein	C1107	vanilla-beige
havannabraun	C6776	volcano sand
hellgrau	C71	joint-grey
manhattan	C230	fog
mittelgrau	C1105	basalt
nussbraun	C1167	tobacco brown
pergamon/jasmin	C69	joint white
schwarz	C5176	velvet black
silbergrau	C787	flash grey
transparent	C00	transparent
zementgrau	C79	stone grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants. The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



OTTOSEAL® S 125

The low-odour floor and sanitary silicone

Saint Gobain Weber - Deitermann

Index: 01.07.2022

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Saint Gobain Weber - Deitermann

2022 Index: 01.07.2022

weber.fug 870 Schmalfuge	OTTOSEAL® S 125	
dunkelgrau	C137	anthracite grey
edelweiß	C01	white
hellgrau	C7047	RAL 7047
manhattan	C6645	matt silver-grey
pergamon/jasmin	C69	joint white
silbergrau	C7047	RAL 7047
weber.fug 873 Hochfeste Fuge	OTTOSEAL® S 125	
mittelgrau	C8337	stone grey
weber.fug 875 BlueComfort	OTTOSE	AL® S 125
anthrazit	C137	anthracite grey
dunkelgrau	C137	anthracite grey
hellgrau	C7047	RAL 7047
manhattan	C6645	matt silver-grey
pergamon/jasmin	C69	joint white
schwarz	C04	black
silbergrau	C7047	RAL 7047
weiß	C116	snow-white
weber.fug 875 F Keramik und Naturstein	OTTOSEAL® S 125	
cottobraun	C7114	matt chestnut
dunkelgrau	C137	anthracite grey
edelweiß	C01	white
elfenbein	C112	fair jasmin
hellgrau	C7047	RAL 7047
manhattan	C6645	matt silver-grey
nussbraun	C7094	matt fair brown
pergamon/jasmin	C69	joint white
schwarz	C04	black
silbergrau	C7047	RAL 7047
weber.fug 877	OTTOSEAL® S 125	
anthrazit	C137	anthracite grey
silbergrau	C137	anthracite grey
zementgrau	C6216	concrete grey

weber.fug 870 Schmalfuge	OTTOSE	AL® S 70
bahamabeige	C1110	sandstone-beige
dunkelgrau	C137	anthracite grey
edelweiß	C01	white
hellgrau	C71	joint-grey
manhattan	C230	fog
pergamon/jasmin	C08	jasmin
silbergrau	C787	flash grey
weber.fug 873 Hochfeste Fuge	OTTOSEAL® S 70	
mittelgrau	C1109	night-grey
weber.fug 875 BlueComfort	OTTOSEAL® S 70	
anthrazit	C137	anthracite grey
bahamabeige	C1110	sandstone-beige
dunkelgrau	C137	anthracite grey
hellgrau	C71	joint-grey
manhattan	C230	fog
pergamon/jasmin	C08	jasmin
schwarz	C67	anthracite
silbergrau	C787	flash grey
weber.fug 875 F Keramik und Naturstein	OTTOSEAL® S 70	
bahamabeige	C1110	sandstone-beige
dunkelgrau	C137	anthracite grey
edelweiß	C01	white
elfenbein	C08	jasmin
hellgrau	C71	joint-grey
manhattan	C230	fog
pergamon/jasmin	C08	jasmin
schwarz	C67	anthracite
silbergrau	C787	flash grey
weber.fug 877	OTTOSEAL® S 70	
anthrazit	C137	anthracite grey
silbergrau	C787	flash grey
zementgrau	C56	concrete grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants. The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



OTTOSEAL® S 70

The premium natural stone silicone

Saint Gobain Weber - Deitermann

Index: 01.07.2022

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Saint Gobain Weber - Deitermann

Index: 01.07.2022

weber.fug 880	OTTOSE	AL® S 70	
anthrazit	C137	anthracite grey	
bahambeige	C1110	sandstone-beige	
edelweiß	C01	white	
elfenbein	C08	jasmin	
hellgrau	C71	joint-grey	
manahattan	C230	fog	
pergamon/jasmin	C08	jasmin	
schwarz	C67	anthracite	
silbergrau	C787	flash grey	
transparent	C00	transparent	
weber.fug 881	OTTOSE	OTTOSEAL® S 70	
anthrazit	C67	anthracite	
edelweiß	C01	white	
elfenbein	C08	jasmin	
hellgrau	C71	joint-grey	
manhattan	C230	fog	
pergamon/jasmin	C08	jasmin	
silbergrau	C787	flash grey	
transparent	C00	transparent	
weber.fug 883	OTTOSE	OTTOSEAL® S 70	
anthrazit	C67	anthracite	
bahamabeige	C1110	sandstone-beige	
dunkelgau	C137	anthracite grey	
edelweiß	C01	white	
elfenbein	C08	jasmin	
hellgrau	C71	joint-grey	
manhattan	C230	fog	
pergamon/jasmin	C08	jasmin	
schwarz	C67	anthracite	
silbergrau	C787	flash grey	
transparent	C00	transparent	

weber.fug 870 Schmalfuge	OTTOSEAL® S 80	
pergamon/jasmin	C08	jasmin
weber.fug 875 BlueComfort	OTTOSEAL® S 80	
anthrazit	C137	anthracite grey
bahamabeige	C1110	sandstone-beige
dunkelgrau	C137	anthracite grey
schwarz	C67	anthracite
weber.fug 875 F Keramik und Naturstein	OTTOSEAL® S 80	
elfenbein	C08	jasmin
schwarz	C67	anthracite
zementgrau	C18	sanitary grey
weber.fug 877	OTTOSEAL® S 80	
zementgrau	C18	sanitary grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants. The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.

