

Colour recommendations

OTTOSEAL® M 390

The floor sealant

Saint Gobain Weber

Index: 18.09.2023

| weber.fug 871 | OTTOSEAL® M 390 | |
|---|-----------------|-------------|
| zementgrau | C8180 | pebble grey |
| weber.fug 872 Fugenmörtel für Bodenbeläge | OTTOSEAL® M 390 | |
| mittelgrau | C1172 | titan grey |
| zementgrau | C8180 | pebble grey |
| weber.fug 875 BlueComfort | OTTOSEAL® M 390 | |
| havanna braun | C49 | dark brown |
| mittelgrau | C1172 | titan grey |
| zementgrau | C8180 | pebble grey |
| weber.fug 875 F Keramik und Naturstein | OTTOSEAL® M 390 | |
| caramel | C64 | fair oak |
| cottobraun | C1237 | dark oak |
| havannabraun | C49 | dark brown |
| mittelgrau | C1172 | titan grey |
| nussbraun | C98 | rustic oak |
| zementgrau | C8180 | pebble grey |

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Saint Gobain Weber

Index: 18.09.2023

| weber.fug 870 Schmalzfuge | OTTOSEAL® S 100 | |
|---|-----------------|-----------------|
| bahamabeige | C1106 | beach-beige |
| dunkelgrau | C67 | anthracite |
| | C8683 | matt anthracite |
| edelweiß | C01 | white |
| | C8687 | matt white |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| mittelgrau | C1105 | basalt |
| pergamon/jasmin | C69 | joint white |
| silbergrau | C787 | flash grey |
| weber.fug 871 | OTTOSEAL® S 100 | |
| zementgrau | C79 | stone grey |
| weber.fug 872 F Schnellfuge | OTTOSEAL® S 100 | |
| mittelgrau | C1168 | fair-graphite |
| weber.fug 872 Fugenmörtel für Bodenbeläge | OTTOSEAL® S 100 | |
| mittelgrau | C1105 | basalt |
| zementgrau | C79 | stone grey |
| weber.fug 873 Hochfeste Fuge | OTTOSEAL® S 100 | |
| mittelgrau | C52 | platinum grey |
| weber.fug 875 BlueComfort | OTTOSEAL® S 100 | |
| anthrazit | C67 | anthracite |
| | C8683 | matt anthracite |
| bahamabeige | C1106 | beach-beige |
| dunkelgrau | C67 | anthracite |
| | C8683 | matt anthracite |
| havanna braun | C6776 | volcano sand |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| mittelgrau | C1105 | basalt |
| pergamon | C1107 | vanilla-beige |
| pergamon/jasmin | C69 | joint white |
| schwarz | C5176 | velvet black |
| silbergrau | C787 | flash grey |
| weiß | C116 | snow-white |
| zementgrau | C79 | stone grey |

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Saint Gobain Weber

Index: 18.09.2023

| weber.fug 875 F Keramik und Naturstein | OTTOSEAL® S 100 | |
|--|-----------------|-----------------|
| bahamabeige | C1106 | beach-beige |
| cottobraun | C15 | middle-brown |
| dunkelgrau | C67 | anthracite |
| | C8683 | matt anthracite |
| edelweiß | C01 | white |
| | C8687 | matt white |
| elfenbein | C1107 | vanilla-beige |
| havannabraun | C6776 | volcano sand |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| mittelgrau | C1105 | basalt |
| nussbraun | C1167 | tobacco brown |
| pergamon/jasmin | C69 | joint white |
| schwarz | C5176 | velvet black |
| silbergrau | C787 | flash grey |
| zementgrau | C79 | stone grey |
| weber.fug 877 | OTTOSEAL® S 100 | |
| anthrazit | C67 | anthracite |
| | C8683 | matt anthracite |
| mittelgrau | C1105 | basalt |
| silbergrau | C787 | flash grey |
| zementgrau | C56 | concrete grey |
| weber.fug 880 | OTTOSEAL® S 100 | |
| anthrazit | C67 | anthracite |
| | C8683 | matt anthracite |
| bahamabeige | C1106 | beach-beige |
| edelweiß | C01 | white |
| | C8687 | matt white |
| elfenbein | C1107 | vanilla-beige |
| havannabraun | C6776 | volcano sand |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| mittelgrau | C1105 | basalt |
| pergamon/jasmin | C69 | joint white |
| schwarz | C5176 | velvet black |
| silbergrau | C787 | flash grey |
| transparent | C00 | transparent |
| weiß | C116 | snow-white |
| zementgrau | C79 | stone grey |

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Saint Gobain Weber

Index: 18.09.2023

| weber.fug 881 | OTTOSEAL® S 100 | |
|-----------------|-----------------|-----------------|
| anthrazit | C67 | anthracite |
| | C8683 | matt anthracite |
| edelweiß | C01 | white |
| | C8687 | matt white |
| elfenbein | C1107 | vanilla-beige |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| mittelgrau | C1105 | basalt |
| pergamon/jasmin | C69 | joint white |
| silbergrau | C787 | flash grey |
| transparent | C00 | transparent |
| zementgrau | C79 | stone grey |
| weber.fug 883 | OTTOSEAL® S 100 | |
| anthrazit | C67 | anthracite |
| | C8683 | matt anthracite |
| bahamabeige | C1106 | beach-beige |
| cottobraun | C15 | middle-brown |
| dunkelgrau | C67 | anthracite |
| | C8683 | matt anthracite |
| edelweiß | C01 | white |
| | C8687 | matt white |
| elfenbein | C1107 | vanilla-beige |
| havannabraun | C6776 | volcano sand |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| mittelgrau | C1105 | basalt |
| nussbraun | C1167 | tobacco brown |
| pergamon/jasmin | C69 | joint white |
| schwarz | C5176 | velvet black |
| silbergrau | C787 | flash grey |
| transparent | C00 | transparent |
| zementgrau | C79 | stone grey |

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 125

The low-odour floor and sanitary silicone

Saint Gobain Weber

Index: 18.09.2023

| weber.fug 870 Schmalzfuge | OTTOSEAL® S 125 | |
|--|-----------------|------------------|
| dunkelgrau | C137 | anthracite grey |
| edelweiß | C01 | white |
| hellgrau | C7047 | RAL 7047 |
| manhattan | C6645 | matt silver-grey |
| pergamon/jasmin | C69 | joint white |
| silbergrau | C7047 | RAL 7047 |
| weber.fug 873 Hochfeste Fuge | OTTOSEAL® S 125 | |
| mittelgrau | C8337 | stone grey |
| weber.fug 875 BlueComfort | OTTOSEAL® S 125 | |
| anthrazit | C137 | anthracite grey |
| dunkelgrau | C137 | anthracite grey |
| hellgrau | C7047 | RAL 7047 |
| manhattan | C6645 | matt silver-grey |
| pergamon/jasmin | C69 | joint white |
| schwarz | C04 | black |
| silbergrau | C7047 | RAL 7047 |
| weiß | C116 | snow-white |
| weber.fug 875 F Keramik und Naturstein | OTTOSEAL® S 125 | |
| cottobraun | C7114 | matt chestnut |
| dunkelgrau | C137 | anthracite grey |
| edelweiß | C01 | white |
| elfenbein | C112 | fair jasmin |
| hellgrau | C7047 | RAL 7047 |
| manhattan | C6645 | matt silver-grey |
| nussbraun | C7094 | matt fair brown |
| pergamon/jasmin | C69 | joint white |
| schwarz | C04 | black |
| silbergrau | C7047 | RAL 7047 |
| weber.fug 877 | OTTOSEAL® S 125 | |
| anthrazit | C137 | anthracite grey |
| silbergrau | C137 | anthracite grey |
| zementgrau | C6216 | concrete grey |

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Saint Gobain Weber

Index: 18.09.2023

| weber.fug 870 Schmalzfuge | OTTOSEAL® S 70 | |
|--|----------------|-----------------|
| bahamabeige | C1110 | sandstone-beige |
| dunkelgrau | C137 | anthracite grey |
| edelweiß | C01 | white |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| pergamon/jasmin | C08 | jasmin |
| silbergrau | C787 | flash grey |
| weber.fug 873 Hochfeste Fuge | OTTOSEAL® S 70 | |
| mittelgrau | C1109 | night-grey |
| weber.fug 875 BlueComfort | OTTOSEAL® S 70 | |
| anthrazit | C137 | anthracite grey |
| bahamabeige | C1110 | sandstone-beige |
| dunkelgrau | C137 | anthracite grey |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| pergamon/jasmin | C08 | jasmin |
| schwarz | C67 | anthracite |
| silbergrau | C787 | flash grey |
| weber.fug 875 F Keramik und Naturstein | OTTOSEAL® S 70 | |
| bahamabeige | C1110 | sandstone-beige |
| dunkelgrau | C137 | anthracite grey |
| edelweiß | C01 | white |
| elfenbein | C08 | jasmin |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| pergamon/jasmin | C08 | jasmin |
| schwarz | C67 | anthracite |
| silbergrau | C787 | flash grey |
| weber.fug 877 | OTTOSEAL® S 70 | |
| anthrazit | C137 | anthracite grey |
| silbergrau | C787 | flash grey |
| zementgrau | C56 | concrete grey |

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Saint Gobain Weber

Index: 18.09.2023

| weber.fug 880 | OTTOSEAL® S 70 | |
|-----------------|----------------|-----------------|
| anthrazit | C137 | anthracite grey |
| bahambeige | C1110 | sandstone-beige |
| edelweiß | C01 | white |
| elfenbein | C08 | jasmin |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| pergamon/jasmin | C08 | jasmin |
| schwarz | C67 | anthracite |
| silbergrau | C787 | flash grey |
| transparent | C00 | transparent |
| weber.fug 881 | OTTOSEAL® S 70 | |
| anthrazit | C67 | anthracite |
| edelweiß | C01 | white |
| elfenbein | C08 | jasmin |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| pergamon/jasmin | C08 | jasmin |
| silbergrau | C787 | flash grey |
| transparent | C00 | transparent |
| weber.fug 883 | OTTOSEAL® S 70 | |
| anthrazit | C67 | anthracite |
| bahamabeige | C1110 | sandstone-beige |
| dunkelgau | C137 | anthracite grey |
| edelweiß | C01 | white |
| elfenbein | C08 | jasmin |
| hellgrau | C71 | joint-grey |
| manhattan | C230 | fog |
| pergamon/jasmin | C08 | jasmin |
| schwarz | C67 | anthracite |
| silbergrau | C787 | flash grey |
| transparent | C00 | transparent |

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Saint Gobain Weber

Index: 18.09.2023

| weber.fug 870 Schmalfuge | OTTOSEAL® S 80 | |
|--|----------------|---------------------------|
| pergamon/jasmin | C6117 | matt jasmin |
| | C8652 | matt sanded jasmin |
| weber.fug 875 BlueComfort | OTTOSEAL® S 80 | |
| anthrazit | C137 | anthracite grey |
| | C6116 | matt anthracite grey |
| bahamabeige | C1110 | sandstone-beige |
| dunkelgrau | C137 | anthracite grey |
| | C6116 | matt anthracite grey |
| schwarz | C67 | anthracite |
| | C1300 | matt anthracite |
| weber.fug 875 F Keramik und Naturstein | OTTOSEAL® S 80 | |
| elfenbein | C6117 | matt jasmin |
| | C8652 | matt sanded jasmin |
| schwarz | C67 | anthracite |
| | C1300 | matt anthracite |
| zementgrau | C18 | sanitary grey |
| | C6111 | matt sanitary grey |
| | C8650 | matt sanded sanitary grey |
| weber.fug 877 | OTTOSEAL® S 80 | |
| zementgrau | C18 | sanitary grey |
| | C6111 | matt sanitary grey |
| | C8650 | matt sanded sanitary grey |

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives