

## Colour recommendations

### OTTOSEAL® M 390

The floor sealant

Schönox

Index: 20.01.2023

SF DESIGN	OTTOSEAL® M 390
balibraun	C49 dark brown
graphit	C2260 basalt
havanna	C98 rustic oak
platingrau	C1172 titan grey
weiß	C01 white

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

Schönox

Index: 20.01.2023

CF DESIGN	OTTOSEAL® S 100
anthrazit	C6776 volcano sand
grau	C18 sanitary grey
	C8681 matt sanitary grey
silbergrau	C45 chinchilla
weiß	C01 white
	C8687 matt white
ES	OTTOSEAL® S 100
anthrazit	C5176 velvet black
bahamabeige	C1106 beach-beige
braun	C1104 almond-brown
dunkelgrau	C1168 fair-graphite
grau	C2044 sand grey 18
jasmin	C69 joint white
manhattan	C1010 grey-red
pergamon	C84 pergamum
	C8684 matt pergamum
silbergrau	C45 chinchilla
weiß	C51 old white
FG	OTTOSEAL® S 100
silbergrau	C45 chinchilla
FUGENBREIT	OTTOSEAL® S 100
grau	C18 sanitary grey
	C8681 matt sanitary grey
MES	OTTOSEAL® S 100
anthrazit	C5176 velvet black
bahamabeige	C1106 beach-beige
grau	C2044 sand grey 18
manhattan	C1010 grey-red
sandstein	C84 pergamum
	C8684 matt pergamum
silbergrau	C45 chinchilla
weiß	C51 old white
SB FLEX	OTTOSEAL® S 100
anthrazit	C6776 volcano sand
dunkelgrau	C67 anthracite
	C8683 matt anthracite
grau	C18 sanitary grey
	C8681 matt sanitary grey
manhattan	C86 pale grey
silbergrau	C45 chinchilla

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

Schönox

Index: 20.01.2023

SF DESIGN	OTTOSEAL® S 100	
anthrazit	C6776	volcano sand
bahamabeige	C1106	beach-beige
balibraun	C21	bali
caramel	C09	caramel
	C8686	matt caramel
dunkelgrau	C67	anthracite
	C8683	matt anthracite
graphit	C808	asphalt grey
grau	C18	sanitary grey
	C8681	matt sanitary grey
havanna	C09	caramel
	C8686	matt caramel
jasmin	C08	jasmin
jurabeige	C08	jasmin
manhattan	C86	pale grey
pergamon	C84	pergamum
	C8684	matt pergamum
platingrau	C02	grey
	C8680	matt grey
sandgrau	C6778	silk
sandstein	C84	pergamum
	C8684	matt pergamum
silbergrau	C45	chinchilla
weiß	C01	white
	C8687	matt white
SU Schnelle Universal-Flexfuge	OTTOSEAL® S 100	
anthrazit	C5176	velvet black
dunkelgrau	C1168	fair-graphite
grau	C18	sanitary grey
	C8681	matt sanitary grey
manhattan	C1010	grey-red
silbergrau	C45	chinchilla

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

Schönox

Index: 20.01.2023

UF Premium Universal Fugenmörtel	OTTOSEAL® S 100	
anthrazit	C5176	velvet black
bahamabeige	C1106	beach-beige
braun	C1104	almond-brown
dunkelgrau	C1168	fair-graphite
grau	C2044	sand grey 18
jasmin	C69	joint white
manhattan	C1010	grey-red
pergamon	C84	pergamum
	C8684	matt pergamum
sandstein	C84	pergamum
	C8684	matt pergamum
silbergrau	C45	chinchilla
weiß	C51	old white
WD FLEX	OTTOSEAL® S 100	
anthrazit	C6776	volcano sand
dunkelgrau	C67	anthracite
	C8683	matt anthracite
grau	C18	sanitary grey
	C8681	matt sanitary grey
jasmin	C08	jasmin
manhattan	C86	pale grey
pergamon	C84	pergamum
	C8684	matt pergamum
silbergrau	C45	chinchilla
weiß	C01	white
	C8687	matt white
XR 40	OTTOSEAL® S 100	
grau	C18	sanitary grey
	C8681	matt sanitary grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 105

The standard acetate silicone

**Schönox**

Index: 20.01.2023

CF DESIGN	OTTOSEAL® S 105	
grau	C18	sanitary grey
silbergrau	C230	fog
weiß	C01	white
FG	OTTOSEAL® S 105	
silbergrau	C230	fog
FUGENBREIT	OTTOSEAL® S 105	
grau	C18	sanitary grey
SB FLEX	OTTOSEAL® S 105	
dunkelgrau	C67	anthracite
grau	C18	sanitary grey
manhattan	C86	pale grey
silbergrau	C230	fog
SF DESIGN	OTTOSEAL® S 105	
bahamabeige	C1106	beach-beige
balibraun	C05	brown
caramel	C09	caramel
dunkelgrau	C67	anthracite
graphit	C67	anthracite
grau	C18	sanitary grey
havanna	C09	caramel
jasmin	C08	jasmin
jurabeige	C08	jasmin
manhattan	C86	pale grey
pergamon	C84	pergamum
platingrau	C02	grey
sandstein	C84	pergamum
silbergrau	C230	fog
weiß	C01	white
SU Schnelle Universal-Flexfuge	OTTOSEAL® S 105	
grau	C18	sanitary grey
WD FLEX	OTTOSEAL® S 105	
dunkelgrau	C67	anthracite
grau	C18	sanitary grey
jasmin	C08	jasmin
manhattan	C86	pale grey
pergamon	C84	pergamum
silbergrau	C230	fog
weiß	C01	white

## Colour recommendations

### OTTOSEAL® S 105

The standard acetate silicone

**Schönox**

Index: 20.01.2023

XR 40	OTTOSEAL® S 105	
grau	C18	sanitary grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



**Sealants • Adhesives**

## Colour recommendations

### OTTOSEAL® S 125

The low-odour floor and sanitary silicone

Schönox

Index: 20.01.2023

CF DESIGN	OTTOSEAL® S 125	
grau	C18	sanitary grey
silbergrau	C7047	RAL 7047
weiß	C01	white
FG	OTTOSEAL® S 125	
silbergrau	C7047	RAL 7047
FUGENBREIT	OTTOSEAL® S 125	
grau	C18	sanitary grey
SB FLEX	OTTOSEAL® S 125	
grau	C18	sanitary grey
silbergrau	C7047	RAL 7047
SF DESIGN	OTTOSEAL® S 125	
balibraun	C05	brown
graphit	C8340	matt basalt grey
grau	C18	sanitary grey
jasmin	C112	fair jasmin
pergamon	C69	joint white
silbergrau	C7047	RAL 7047
weiß	C01	white
SU Schnelle Universal-Flexfuge	OTTOSEAL® S 125	
grau	C18	sanitary grey
WD FLEX	OTTOSEAL® S 125	
grau	C18	sanitary grey
jasmin	C112	fair jasmin
pergamon	C69	joint white
silbergrau	C7047	RAL 7047
weiß	C01	white
XR 40	OTTOSEAL® S 125	
grau	C18	sanitary grey

## Colour recommendations

### OTTOSEAL® S 130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

Schönox

Index: 20.01.2023

CF DESIGN	OTTOSEAL® S 130	
grau	C18	sanitary grey
silbergrau	C94	silver-grey
ES	OTTOSEAL® S 130	
anthrazit	C67	anthracite
grau	C18	sanitary grey
jasmin	C08	jasmin
silbergrau	C94	silver-grey
FG	OTTOSEAL® S 130	
silbergrau	C94	silver-grey
FUGENBREIT	OTTOSEAL® S 130	
grau	C18	sanitary grey
MES	OTTOSEAL® S 130	
anthrazit	C67	anthracite
grau	C18	sanitary grey
silbergrau	C94	silver-grey
SB FLEX	OTTOSEAL® S 130	
grau	C18	sanitary grey
silbergrau	C94	silver-grey
SF DESIGN	OTTOSEAL® S 130	
grau	C18	sanitary grey
jasmin	C08	jasmin
silbergrau	C94	silver-grey
SU Schnelle Universal-Flexfuge	OTTOSEAL® S 130	
anthrazit	C67	anthracite
grau	C18	sanitary grey
silbergrau	C94	silver-grey
UF Premium Universal Fugenmörtel	OTTOSEAL® S 130	
anthrazit	C67	anthracite
grau	C18	sanitary grey
jasmin	C08	jasmin
silbergrau	C94	silver-grey
WD FLEX	OTTOSEAL® S 130	
grau	C18	sanitary grey
jasmin	C08	jasmin
silbergrau	C94	silver-grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

**Schönox**

Index: 20.01.2023

XR 40	OTTOSEAL® S 130
grau	C18 sanitary grey

## Colour recommendations

### OTTOSEAL® S 140

The hotel and spa silicone with double protection against mould

**Schönox**

Index: 20.01.2023

CF DESIGN	OTTOSEAL® S 140
grau	C18 sanitary grey
ES	OTTOSEAL® S 140
anthrazit	C67 anthracite
grau	C18 sanitary grey
FUGENBREIT	OTTOSEAL® S 140
grau	C18 sanitary grey
MES	OTTOSEAL® S 140
anthrazit	C67 anthracite
grau	C18 sanitary grey
SB FLEX	OTTOSEAL® S 140
grau	C18 sanitary grey
SF DESIGN	OTTOSEAL® S 140
grau	C18 sanitary grey
platingrau	C02 grey
SU Schnelle Universal-Flexfuge	OTTOSEAL® S 140
anthrazit	C67 anthracite
grau	C18 sanitary grey
UF Premium Universal Fugenmörtel	OTTOSEAL® S 140
anthrazit	C67 anthracite
grau	C18 sanitary grey
WD FLEX	OTTOSEAL® S 140
grau	C18 sanitary grey
XR 40	OTTOSEAL® S 140
grau	C18 sanitary grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



**Sealants • Adhesives**

## Colour recommendations

### OTTOSEAL® S 70

The premium natural stone silicone

Schönox

Index: 20.01.2023

CF DESIGN	OTTOSEAL® S 70	
grau	C18	sanitary grey
silbergrau	C80	pearl-grey
weiß	C01	white
ES	OTTOSEAL® S 70	
anthrazit	C67	anthracite
dunkelgrau	C137	anthracite grey
grau	C18	sanitary grey
jasmin	C08	jasmin
pergamon	C84	pergamum
silbergrau	C1108	autumn-grey
FG	OTTOSEAL® S 70	
silbergrau	C80	pearl-grey
FUGENBREIT	OTTOSEAL® S 70	
grau	C18	sanitary grey
MES	OTTOSEAL® S 70	
anthrazit	C67	anthracite
bahamabeige	C1110	sandstone-beige
grau	C18	sanitary grey
sandstein	C84	pergamum
silbergrau	C1108	autumn-grey
SB FLEX	OTTOSEAL® S 70	
dunkelgrau	C137	anthracite grey
grau	C18	sanitary grey
silbergrau	C80	pearl-grey
SF DESIGN	OTTOSEAL® S 70	
bahamabeige	C1110	sandstone-beige
balibraun	C05	brown
caramel	C82	red-beige
dunkelgrau	C137	anthracite grey
grau	C18	sanitary grey
jasmin	C08	jasmin
jurabeige	C08	jasmin
pergamon	C84	pergamum
platingrau	C1109	night-grey
sandstein	C1110	sandstone-beige
silbergrau	C80	pearl-grey
weiß	C01	white

## Colour recommendations

### OTTOSEAL® S 70

The premium natural stone silicone

Schönox

Index: 20.01.2023

SU Schnelle Universal-Flexfuge	OTTOSEAL® S 70	
anthrazit	C67	anthracite
dunkelgrau	C137	anthracite grey
grau	C18	sanitary grey
silbergrau	C1108	autumn-grey
UF Premium Universal Fugenmörtel	OTTOSEAL® S 70	
anthrazit	C67	anthracite
bahamabeige	C1110	sandstone-beige
dunkelgrau	C137	anthracite grey
grau	C18	sanitary grey
jasmin	C08	jasmin
pergamon	C84	pergamum
sandstein	C84	pergamum
silbergrau	C1108	autumn-grey
WD FLEX	OTTOSEAL® S 70	
dunkelgrau	C137	anthracite grey
grau	C18	sanitary grey
jasmin	C08	jasmin
pergamon	C84	pergamum
silbergrau	C80	pearl-grey
weiß	C01	white
XR 40	OTTOSEAL® S 70	
grau	C18	sanitary grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

# Colour recommendations

## OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Schönox

Index: 20.01.2023

ES	OTTOSEAL® S 80	
anthrazit	C67	anthracite
	C1300	matt anthracite
dunkelgrau	C137	anthracite grey
	C6116	matt anthracite grey
grau	C18	sanitary grey
	C6111	matt sanitary grey
	C8650	matt sanded sanitary grey
jasmin	C6117	matt jasmin
	C8652	matt sanded jasmin
MES	OTTOSEAL® S 80	
anthrazit	C67	anthracite
	C1300	matt anthracite
bahamabeige	C1110	sandstone-beige
grau	C18	sanitary grey
	C6111	matt sanitary grey
	C8650	matt sanded sanitary grey
SU Schnelle Universal-Flexfuge	OTTOSEAL® S 80	
anthrazit	C67	anthracite
	C1300	matt anthracite
dunkelgrau	C137	anthracite grey
	C6116	matt anthracite grey
grau	C18	sanitary grey
	C6111	matt sanitary grey
	C8650	matt sanded sanitary grey
UF Premium Universal Fugenmörtel	OTTOSEAL® S 80	
anthrazit	C67	anthracite
	C1300	matt anthracite
bahamabeige	C1110	sandstone-beige
dunkelgrau	C137	anthracite grey
	C6116	matt anthracite grey
grau	C18	sanitary grey
	C6111	matt sanitary grey
	C8650	matt sanded sanitary grey
jasmin	C6117	matt jasmin
	C8652	matt sanded jasmin
WD FLEX	OTTOSEAL® S 80	
anthrazit	C67	anthracite
	C1300	matt anthracite
dunkelgrau	C137	anthracite grey
	C6116	matt anthracite grey
grau	C18	sanitary grey
	C6111	matt sanitary grey
	C8650	matt sanded sanitary grey
jasmin	C6117	matt jasmin
	C8652	matt sanded jasmin

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives