

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Sopro Austria

Index: 20.01.2023

Brillant PerlFuge	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
bahamabeige 34	C84 pergamum C8684 matt pergamum
balibraun 59	C21 bali
beige 32	C1106 beach-beige
betongrau 14	C1168 fair-graphite
braun 52	C1167 tobacco brown
caramel 38	C82 red-beige
grau 15	C776 grey 15
hellbeige 29	C84 pergamum C8684 matt pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige C8685 matt bahamabeige
kastanie 50	C1082 chestnut
lichtgrau 23	C45 chinchilla
manhattan 77	C86 pale grey
natura 30	C55 natural
pergamon 27	C1107 vanilla-beige
sandel 56	C1104 almond-brown
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C706 cement-grey no. 31 C8682 matt cement-grey 31
weiß 10	C01 white C8687 matt white
zementgrau 20	C79 stone grey

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Sopro Austria

Index: 20.01.2023

DF 10 Design FlexFuge	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
bahamabeige 34	C84 pergamum C8684 matt pergamum
balibraun 59	C21 bali
basalt 64	C67 anthracite C8683 matt anthracite
beige 32	C1106 beach-beige
betongrau 14	C1168 fair-graphite
braun 52	C1167 tobacco brown
caramel 38	C82 red-beige
ebenhholz 62	C6776 volcano sand
grau 15	C776 grey 15
hellbeige 29	C84 pergamum C8684 matt pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige C8685 matt bahamabeige
kastanie 50	C1082 chestnut
mahagoni 55	C7117 intense brown
manhattan 77	C86 pale grey
pergamon 27	C1107 vanilla-beige
sahara 40	C60 umbra
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
signalrot 91	C35 fiery red
silbergrau 17	C910 silver-grey 17
steingrau 22	C706 cement-grey no. 31 C8682 matt cement-grey 31
tiefblau 98	C42 sorrentoblue
weinrot	C59 ruby
weiß 10	C01 white C8687 matt white
FL 526 FlexFuge schnell mit Trass	OTTOSEAL® S 100
betongrau 14	C1168 fair-graphite
grau 15	C776 grey 15
silbergrau 17	C910 silver-grey 17

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Sopro Austria

Index: 20.01.2023

MFT 532 Fugenbreit mit Trass	OTTOSEAL® S 100
braun 52	C1167 tobacco brown
jurabeige 33	C10 bahamabeige C8685 matt bahamabeige
manhattan 77	C86 pale grey
naturweiß 12	C116 snow-white
steingrau 22	C706 cement-grey no. 31 C8682 matt cement-grey 31
zementgrau 20	C79 stone grey
MFs MeisterFuge mit Colorstat	OTTOSEAL® S 100
bahamabeige 34	C84 pergamum C8684 matt pergamum
grau 15	C776 grey 15
hellgrau 16	C787 flash grey
manhattan 77	C86 pale grey
pergamon 27	C1107 vanilla-beige
silbergrau 17	C910 silver-grey 17
weiß 10	C01 white C8687 matt white
Saphir 5 PerlFuge	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
bahamabeige 34	C84 pergamum C8684 matt pergamum
balibraun 59	C21 bali
beige 32	C1106 beach-beige
braun 52	C1167 tobacco brown
caramel 38	C82 red-beige
grau 15	C776 grey 15
hellbeige 29	C84 pergamum C8684 matt pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige C8685 matt bahamabeige
kastanie 50	C1082 chestnut
lichtgrau 23	C45 chinchilla
manhattan 77	C86 pale grey
natura 30	C55 natural
pergamon 27	C1107 vanilla-beige
sandel 56	C1104 almond-brown
schwarz 90	C04 black
signalrot 91	C35 fiery red
silbergrau 17	C910 silver-grey 17
tiefblau 98	C42 sorrentoblue
weiß 10	C01 white C8687 matt white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Sopro Austria

Index: 20.01.2023

TF+ TitecFuge Plus	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
betongrau 14	C1168 fair-graphite
grau 15	C776 grey 15
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
weiß 10	C01 white C8687 matt white
TFb TitecFuge breit	OTTOSEAL® S 100
grau 15	C776 grey 15



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

Sopro Austria

Index: 20.01.2023

Brillant PerlFuge	OTTOSEAL® S 130
betongrau 14	C08 jasmin
hellbeige 29	C10 bahamabeige
sandgrau 18	C116 snow-white
zementgrau 20	C04 black
DF 10 Design FlexFuge	OTTOSEAL® S 130
hellbeige 29	C08 jasmin
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
pergamon 27	C116 snow-white
schwarz 90	C04 black
weinrot	C04 black
MFT 532 Fugenbreit mit Trass	OTTOSEAL® S 130
naturweiß 12	C116 snow-white
MFs MeisterFuge mit Colorstat	OTTOSEAL® S 130
pergamon 27	C116 snow-white
Saphir 5 PerlFuge	OTTOSEAL® S 130
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
pergamon 27	C116 snow-white
schwarz 90	C04 black
TF+ TitecFuge Plus	OTTOSEAL® S 130
schwarz 90	C04 black

Colour recommendations

OTTOSEAL® S 140

The hotel and spa silicone with double protection against mould

Sopro Austria

Index: 20.01.2023

Brillant PerlFuge	OTTOSEAL® S 140
sandgrau 18	C116 snow-white
DF 10 Design FlexFuge	OTTOSEAL® S 140
pergamon 27	C116 snow-white
MFT 532 Fugenbreit mit Trass	OTTOSEAL® S 140
naturweiß 12	C116 snow-white
MFs MeisterFuge mit Colorstat	OTTOSEAL® S 140
pergamon 27	C116 snow-white
Saphir 5 PerlFuge	OTTOSEAL® S 140
pergamon 27	C116 snow-white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Sopro Austria

Index: 20.01.2023

Brillant PerlFuge	OTTOSEAL® S 70
anthrazit 66	C137 anthracite grey
bahamabeige 34	C84 pergamum
caramel 38	C82 red-beige
hellbeige 29	C84 pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
lichtgrau 23	C80 pearl-grey
manhattan 77	C43 manhattan
schwarz 90	C04 black
steingrau 22	C18 sanitary grey
weiß 10	C01 white
DF 10 Design FlexFuge	OTTOSEAL® S 70
anthrazit 66	C137 anthracite grey
bahamabeige 34	C84 pergamum
basalt 64	C137 anthracite grey
caramel 38	C82 red-beige
hellbeige 29	C08 jasmin
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
manhattan 77	C43 manhattan
schwarz 90	C04 black
steingrau 22	C137 anthracite grey
weiß 10	C01 white
MFT 532 Fugenbreit mit Trass	OTTOSEAL® S 70
manhattan 77	C43 manhattan
steingrau 22	C18 sanitary grey
MFs MeisterFuge mit Colorstat	OTTOSEAL® S 70
bahamabeige 34	C84 pergamum
hellgrau 16	C787 flash grey
manhattan 77	C43 manhattan
weiß 10	C01 white

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Sopro Austria

Index: 20.01.2023

Saphir 5 PerlFuge	OTTOSEAL® S 70
anthrazit 66	C137 anthracite grey
bahamabeige 34	C84 pergamum
caramel 38	C82 red-beige
hellbeige 29	C08 jasmin
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
lichtgrau 23	C80 pearl-grey
manhattan 77	C43 manhattan
schwarz 90	C04 black
weiß 10	C01 white
TF+ TitecFuge Plus	OTTOSEAL® S 70
anthrazit 66	C137 anthracite grey
schwarz 90	C04 black
weiß 10	C01 white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Sopro Austria

Index: 20.01.2023

Brillant PerIFuge	OTTOSEAL® S 80
anthrazit 66	C137 anthracite grey C6116 matt anthracite grey
caramel 38	C82 red-beige
jasmin 28	C6117 matt jasmin C8652 matt sanded jasmin
jurabeige 33	C10 bahamabeige C6115 matt bahamabeige
lichtgrau 23	C80 pearl-grey
manhattan 77	C43 manhattan C1282 matt manhattan
schwarz 90	C6114 matt black
steingrau 22	C18 sanitary grey C6111 matt sanitary grey C8650 matt sanded sanitary grey
weiß 10	C01 white C6112 matt white
DF 10 Design FlexFuge	OTTOSEAL® S 80
anthrazit 66	C137 anthracite grey C6116 matt anthracite grey
basalt 64	C137 anthracite grey C6116 matt anthracite grey
caramel 38	C82 red-beige
hellbeige 29	C6117 matt jasmin C8652 matt sanded jasmin
jasmin 28	C6117 matt jasmin C8652 matt sanded jasmin
jurabeige 33	C10 bahamabeige C6115 matt bahamabeige
manhattan 77	C43 manhattan C1282 matt manhattan
schwarz 90	C6114 matt black
steingrau 22	C137 anthracite grey C6116 matt anthracite grey
weiß 10	C01 white C6112 matt white
MFT 532 Fugenbreit mit Trass	OTTOSEAL® S 80
manhattan 77	C43 manhattan C1282 matt manhattan
steingrau 22	C18 sanitary grey C6111 matt sanitary grey C8650 matt sanded sanitary grey

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Sopro Austria

Index: 20.01.2023

MFs MeisterFuge mit Colorstat	OTTOSEAL® S 80
manhattan 77	C43 manhattan C1282 matt manhattan
weiß 10	C01 white C6112 matt white
Saphir 5 PerIFuge	OTTOSEAL® S 80
anthrazit 66	C137 anthracite grey C6116 matt anthracite grey
caramel 38	C82 red-beige
hellbeige 29	C08 jasmin C6117 matt jasmin C8652 matt sanded jasmin
jasmin 28	C08 jasmin C6117 matt jasmin C8652 matt sanded jasmin
jurabeige 33	C10 bahamabeige C6115 matt bahamabeige
lichtgrau 23	C80 pearl-grey
manhattan 77	C43 manhattan C1282 matt manhattan
schwarz 90	C6114 matt black
weiß 10	C01 white C6112 matt white
TF+ TitecFuge Plus	OTTOSEAL® S 80
anthrazit 66	C137 anthracite grey C6116 matt anthracite grey
schwarz 90	C6114 matt black
weiß 10	C01 white C6112 matt white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives