

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

Sopro Deutschland

Index: 04.04.2024

Brillant PerlFuge	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
bahamabeige 34	C103 sahara
balibraun 59	C21 bali
betongrau 14	C67 anthracite C8683 matt anthracite
grau 15	C776 grey 15
hellbeige 29	C84 pergamum C8684 matt pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige C8685 matt bahamabeige
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C56 concrete grey
weiß 10	C116 snow-white

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

Sopro Deutschland

Index: 04.04.2024

DesignFuge Flex DF 10	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
bahamabeige 34	C103 sahara
balibraun 59	C21 bali
basalt 64	C67 anthracite C8683 matt anthracite
beige 32	C1106 beach-beige
betongrau 14	C67 anthracite C8683 matt anthracite
braun 52	C1167 tobacco brown
caramel 38	C82 red-beige
ebenhholz 62	C6776 volcano sand
grau 15	C776 grey 15
hellbeige 29	C84 pergamum C8684 matt pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige C8685 matt bahamabeige
kastanie 50	C1082 chestnut
mahagoni 55	C07 deer-brown
manhattan 77	C81 thistle-grey
pergamon 27	C51 old white
sahara 40	C09 caramel C8686 matt caramel
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
signalrot 91	C35 fiery red
silbergrau 17	C910 silver-grey 17
steingrau 22	C56 concrete grey
tiefblau 98	C42 sorrentoblue
weinrot 92	C59 ruby
weiß 10	C116 snow-white
FlexFuge FL	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
basalt 64	C67 anthracite C8683 matt anthracite
beige 32	C1106 beach-beige
betongrau 14	C67 anthracite C8683 matt anthracite
grau 15	C776 grey 15
sandgrau 18	C2044 sand grey 18
silbergrau 17	C910 silver-grey 17
steingrau 22	C56 concrete grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

Sopro Deutschland

Index: 04.04.2024

FlexFuge FL plus	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
bahamabeige 34	C103 sahara
balibraun 59	C21 bali
basalt 64	C67 anthracite
	C8683 matt anthracite
betongrau 14	C67 anthracite
	C8683 matt anthracite
braun 52	C1167 tobacco brown
grau 15	C776 grey 15
hellbeige 29	C84 pergamum
	C8684 matt pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
	C8685 matt bahamabeige
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C56 concrete grey
weiß 10	C116 snow-white
MeisterFuge breit	OTTOSEAL® S 100
betongrau 14	C67 anthracite
grau 15	C776 grey 15
MeisterFuge schmal	OTTOSEAL® S 100
grau 15	C776 grey 15
hellgrau 16	C787 flash grey
silbergrau 17	C910 silver-grey 17
weiß 10	C116 snow-white
MeisterFuge schmal + breit	OTTOSEAL® S 100
betongrau 14	C67 anthracite
grau 15	C776 grey 15

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

Sopro Deutschland

Index: 04.04.2024

Saphir 5 PerfFuge	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
bahamabeige 34	C103 sahara
beige 32	C1106 beach-beige
betongrau 14	C67 anthracite
	C8683 matt anthracite
grau 15	C776 grey 15
hellbeige 29	C84 pergamum
	C8684 matt pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
manhattan 77	C81 thistle-grey
pergamon 27	C51 old white
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
weiß 10	C116 snow-white
TitecFuge breit	OTTOSEAL® S 100
betongrau 14	C67 anthracite
	C8683 matt anthracite
grau 15	C776 grey 15
TitecFuge plus	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
bahamabeige 34	C103 sahara
balibraun 59	C21 bali
beige 32	C1106 beach-beige
betongrau 14	C67 anthracite
braun 52	C1167 tobacco brown
grau 15	C776 grey 15
jurabeige 33	C10 bahamabeige
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C56 concrete grey
weiß 10	C116 snow-white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 105

The bathroom silicone

Sopro Deutschland

Index: 04.04.2024

Brillant PeriFuge	OTTOSEAL® S 105
anthrazit 66	C67 anthracite
bahamabeige 34	C1106 beach-beige
balibraun 59	C05 brown
betongrau 14	C67 anthracite
grau 15	C776 grey 15
hellbeige 29	C84 pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C52 platinum grey
weiß 10	C116 snow-white
DesignFuge Flex DF 10	OTTOSEAL® S 105
anthrazit 66	C67 anthracite
bahamabeige 34	C1106 beach-beige
balibraun 59	C05 brown
basalt 64	C67 anthracite
beige 32	C1106 beach-beige
betongrau 14	C67 anthracite
braun 52	C15 middle-brown
caramel 38	C09 caramel
grau 15	C776 grey 15
hellbeige 29	C84 pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
mahagoni 55	C05 brown
manhattan 77	C86 pale grey
pergamon 27	C116 snow-white
sahara 40	C09 caramel
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C52 platinum grey
weiß 10	C116 snow-white

## Colour recommendations

### OTTOSEAL® S 105

The bathroom silicone

Sopro Deutschland

Index: 04.04.2024

FlexFuge FL	OTTOSEAL® S 105
anthrazit 66	C67 anthracite
basalt 64	C67 anthracite
beige 32	C1106 beach-beige
betongrau 14	C67 anthracite
grau 15	C776 grey 15
sandgrau 18	C2044 sand grey 18
silbergrau 17	C910 silver-grey 17
steingrau 22	C52 platinum grey
FlexFuge FL plus	OTTOSEAL® S 105
anthrazit 66	C67 anthracite
bahamabeige 34	C1106 beach-beige
balibraun 59	C05 brown
basalt 64	C67 anthracite
betongrau 14	C67 anthracite
braun 52	C15 middle-brown
grau 15	C776 grey 15
hellbeige 29	C84 pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
sandgrau 18	C776 grey 15
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C52 platinum grey
weiß 10	C116 snow-white
MeisterFuge breit	OTTOSEAL® S 105
betongrau 14	C67 anthracite
grau 15	C776 grey 15
MeisterFuge schmal	OTTOSEAL® S 105
grau 15	C776 grey 15
hellgrau 16	C787 flash grey
silbergrau 17	C910 silver-grey 17
weiß 10	C116 snow-white
MeisterFuge schmal + breit	OTTOSEAL® S 105
betongrau 14	C67 anthracite
grau 15	C776 grey 15

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 105

The bathroom silicone

Sopro Deutschland

Index: 04.04.2024

Saphir 5 PerlFuge	OTTOSEAL® S 105
anthrazit 66	C67 anthracite
bahamabeige 34	C1106 beach-beige
beige 32	C1106 beach-beige
betongrau 14	C67 anthracite
grau 15	C776 grey 15
hellbeige 29	C84 pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
manhattan 77	C86 pale grey
pergamon 27	C116 snow-white
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
weiß 10	C116 snow-white
TitecFuge breit	OTTOSEAL® S 105
betongrau 14	C67 anthracite
grau 15	C776 grey 15
TitecFuge plus	OTTOSEAL® S 105
anthrazit 66	C67 anthracite
bahamabeige 34	C1106 beach-beige
balibraun 59	C05 brown
beige 32	C1106 beach-beige
betongrau 14	C67 anthracite
braun 52	C15 middle-brown
grau 15	C776 grey 15
jurabeige 33	C10 bahamabeige
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C52 platinum grey
weiß 10	C116 snow-white

## Colour recommendations

### OTTOSEAL® S 125

The low-odour floor and sanitary silicone

Sopro Deutschland

Index: 04.04.2024

Brillant PerlFuge	OTTOSEAL® S 125
balibraun 59	C05 brown
betongrau 14	C6831 matt anthracite grey
hellbeige 29	C112 fair jasmin
hellgrau 16	C7047 RAL 7047
jasmin 28	C112 fair jasmin
schwarz 90	C04 black
steingrau 22	C8338 matt stone grey
weiß 10	C01 white
DesignFuge Flex DF 10	OTTOSEAL® S 125
balibraun 59	C05 brown
basalt 64	C6831 matt anthracite grey
betongrau 14	C6831 matt anthracite grey
caramel 38	C7111 matt beech
hellbeige 29	C112 fair jasmin
hellgrau 16	C7047 RAL 7047
jasmin 28	C112 fair jasmin
manhattan 77	C43 manhattan
pergamon 27	C116 snow-white
schwarz 90	C04 black
steingrau 22	C8338 matt stone grey
weiß 10	C01 white
FlexFuge FL	OTTOSEAL® S 125
basalt 64	C6831 matt anthracite grey
betongrau 14	C6831 matt anthracite grey
steingrau 22	C8338 matt stone grey
FlexFuge FL plus	OTTOSEAL® S 125
balibraun 59	C05 brown
basalt 64	C6831 matt anthracite grey
betongrau 14	C6831 matt anthracite grey
hellbeige 29	C112 fair jasmin
hellgrau 16	C7047 RAL 7047
jasmin 28	C112 fair jasmin
schwarz 90	C04 black
steingrau 22	C8338 matt stone grey
weiß 10	C01 white
MeisterFuge breit	OTTOSEAL® S 125
betongrau 14	C6831 matt anthracite grey
MeisterFuge schmal	OTTOSEAL® S 125
hellgrau 16	C7047 RAL 7047
weiß 10	C01 white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 125

The low-odour floor and sanitary silicone

Sopro Deutschland

Index: 04.04.2024

MeisterFuge schmal + breit	OTTOSEAL® S 125	
betongrau 14	C6831	matt anthracite grey
Saphir 5 PerlFuge	OTTOSEAL® S 125	
betongrau 14	C6831	matt anthracite grey
hellbeige 29	C112	fair jasmin
hellgrau 16	C7047	RAL 7047
jasmin 28	C112	fair jasmin
manhattan 77	C43	manhattan
pergamon 27	C116	snow-white
schwarz 90	C04	black
weiß 10	C01	white
TitecFuge breit	OTTOSEAL® S 125	
betongrau 14	C6831	matt anthracite grey
TitecFuge plus	OTTOSEAL® S 125	
balibraun 59	C05	brown
betongrau 14	C6831	matt anthracite grey
schwarz 90	C04	black
steingrau 22	C8338	matt stone grey

## Colour recommendations

### OTTOSEAL® S 70

The premium natural stone silicone

Sopro Deutschland

Index: 04.04.2024

Brillant PerlFuge	OTTOSEAL® S 70	
anthrazit 66	C67	anthracite
balibraun 59	C05	brown
betongrau 14	C137	anthracite grey
hellbeige 29	C84	pergamum
hellgrau 16	C787	flash grey
jasmin 28	C08	jasmin
jurabeige 33	C10	bahamabeige
schwarz 90	C04	black
steingrau 22	C56	concrete grey
weiß 10	C01	white
DesignFuge Flex DF 10	OTTOSEAL® S 70	
anthrazit 66	C137	anthracite grey
balibraun 59	C05	brown
basalt 64	C137	anthracite grey
betongrau 14	C137	anthracite grey
caramel 38	C82	red-beige
hellbeige 29	C84	pergamum
hellgrau 16	C787	flash grey
jasmin 28	C08	jasmin
jurabeige 33	C10	bahamabeige
manhattan 77	C43	manhattan
schwarz 90	C04	black
steingrau 22	C56	concrete grey
weiß 10	C01	white
FlexFuge FL	OTTOSEAL® S 70	
anthrazit 66	C67	anthracite
basalt 64	C137	anthracite grey
betongrau 14	C137	anthracite grey
steingrau 22	C56	concrete grey
FlexFuge FL plus	OTTOSEAL® S 70	
anthrazit 66	C67	anthracite
balibraun 59	C05	brown
basalt 64	C137	anthracite grey
betongrau 14	C137	anthracite grey
hellbeige 29	C84	pergamum
hellgrau 16	C787	flash grey
jasmin 28	C08	jasmin
jurabeige 33	C10	bahamabeige
schwarz 90	C04	black
steingrau 22	C56	concrete grey
weiß 10	C01	white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 70

The premium natural stone silicone

Sopro Deutschland

Index: 04.04.2024

Saphir 5 PerlFuge	OTTOSEAL® S 70
anthrazit 66	C67 anthracite
betongrau 14	C137 anthracite grey
hellbeige 29	C84 pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
manhattan 77	C43 manhattan
schwarz 90	C04 black
weiß 10	C01 white
TitecFuge breit	OTTOSEAL® S 70
betongrau 14	C137 anthracite grey
TitecFuge plus	OTTOSEAL® S 70
anthrazit 66	C67 anthracite
balibraun 59	C05 brown
betongrau 14	C137 anthracite grey
jurabeige 33	C10 bahamabeige
schwarz 90	C04 black
steingrau 22	C56 concrete grey
weiß 10	C01 white

## Colour recommendations

### OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Sopro Deutschland

Index: 04.04.2024

Brillant PerlFuge	OTTOSEAL® S 80
anthrazit 66	C1300 matt anthracite
betongrau 14	C6116 matt anthracite grey
jasmin 28	C6117 matt jasmin
jurabeige 33	C6115 matt bahamabeige
schwarz 90	C6114 matt black
steingrau 22	C6111 matt sanitary grey
weiß 10	C6112 matt white
DesignFuge Flex DF 10	OTTOSEAL® S 80
anthrazit 66	C1300 matt anthracite
basalt 64	C6116 matt anthracite grey
betongrau 14	C6116 matt anthracite grey
jasmin 28	C6117 matt jasmin
jurabeige 33	C6115 matt bahamabeige
manhattan 77	C1282 matt manhattan
schwarz 90	C6114 matt black
steingrau 22	C6111 matt sanitary grey
weiß 10	C6112 matt white
FlexFuge FL	OTTOSEAL® S 80
anthrazit 66	C1300 matt anthracite
basalt 64	C6116 matt anthracite grey
betongrau 14	C6116 matt anthracite grey
steingrau 22	C6111 matt sanitary grey
FlexFuge FL plus	OTTOSEAL® S 80
anthrazit 66	C1300 matt anthracite
basalt 64	C6116 matt anthracite grey
betongrau 14	C6116 matt anthracite grey
jasmin 28	C6117 matt jasmin
jurabeige 33	C6115 matt bahamabeige
schwarz 90	C6114 matt black
steingrau 22	C6111 matt sanitary grey
weiß 10	C6112 matt white
Saphir 5 PerlFuge	OTTOSEAL® S 80
anthrazit 66	C1300 matt anthracite
betongrau 14	C6116 matt anthracite grey
jasmin 28	C6117 matt jasmin
manhattan 77	C1282 matt manhattan
schwarz 90	C6114 matt black
weiß 10	C6112 matt white
TitecFuge breit	OTTOSEAL® S 80
betongrau 14	C6116 matt anthracite grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

# Colour recommendations

## OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Sopro Deutschland

Index: 04.04.2024

TitecFuge plus	OTTOSEAL® S 80
anthrazit 66	C1300 matt anthracite
betongrau 14	C6116 matt anthracite grey
jurabeige 33	C6115 matt bahamabeige
schwarz 90	C6114 matt black
steingrau 22	C6111 matt sanitary grey
weiß 10	C6112 matt white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



**Sealants • Adhesives**