

# SIMPLE - QUICK - STRONG

## Drywall construction with OTTOCOLL® M560

**Certified for  
metal stud walls**



Quality creates cohesion

**OTTO**  
CHEMIE  
SEALING & BONDING

# Why bonding in drywall construction?

In drywall construction, adhesive bonding offers a fast, clean and reliable alternative to traditional fixing methods. By using the certified adhesive OTTOCOLL® M560 you can carry out your bonding tasks more safely and efficiently and avoid creating sound bridges.



## Avoids damage

Risk-free installation of the profiles by gluing. The substrate and the underlying cables remain intact.



## Quick and simple installation

No waiting time due to strong initial adhesion. Quiet and clean installation, a great advantage in high-traffic or noise-sensitive areas.



## Better sound insulation

Compared to traditional fixing with screws and sound insulation tape.

## Tested - Certified - Safe



Certification for the screwless installation of UW profiles in drywall construction, as well as the corresponding adhesive strengths. Certificate no. 24 10 90327 002



Certification for the suitability of bonding drywall profiles. The outstanding adhesive strength of OTTOCOLL® M560 exceeds the values required by the standards many times over. Certificate no. B-VHT-423-24-OTTOCOLL\_M560-241106



Airborne sound insulation – tested, increased sound insulation by bonding frame profiles in drywall construction with OTTOCOLL® M560, compared to conventional fastening using screws and sound insulation tape. Test report no. 2024-05-0290-K2

OTTO COLL® M560

# The universal premium hybrid adhesive with very high initial adhesion



Very high initial adhesion

Certified for metal stud walls

Fast thorough hardening

Also bonding to damp surfaces

Elastic bondings

Compatible with natural stone

Universally usable

Silicone-free  
Free of isocyanates



Declaration of no objection – tested for use in food-related area




Very low emission – Premium class, certified according to the strictest requirements for long-term clean and safe air indoors and for healthy living climate.

# Quick instalation guide




**1** Preparation of the substrate



**2** Determine & mark the mounting location



**3** Cleaning the underside of the profile



**4** Applying adhesive



**5** Align and press on the profile



**6** Panelling

## International Sales

+49 8684 908-5300

@ sales.international@otto-chemie.com

Monday to Thursday from 7:00 am – 4:00 pm  
and Friday from 7:00 am – 1:00 pm

## Hermann Otto GmbH

Krankenhausstr. 14  
83413 Fridolfing, Germany  
Tel.: +49 8684 908-0  
info@otto-chemie.com  
www.otto-chemie.com

## Follow us on Social Media:



@OTTOCHEMIE

Scan for more  
detailed mounting  
and processing  
instructions



**OTTO**  
CHEMIE  
SEALING & BONDING